bis	Position sheet:	CPC	PUBLIC 1	4BBTI1	G OF WED	NESDAY	, OCTOBER 10, 19	O IN	CITY HAL	L AT 10:00	O AM
CAL.	C.P. No.		REPORTS TO ::	CPC . ACT 10		CAL No.	C.P. No.		REPORTS TO	CPC ACTION	
	C 900790 PPX				duled to eard 10/2	2451					
	C 900791 PPX			<u> </u>		52		····			5,
-	C 900791 PFX		<del></del>	<u> </u>	1	53			<del></del>		
					+	54			<del> </del>		
_	C 890211 ZMO		لبــــــــــ	<del></del>	1		<del></del>	<del> </del>			<del></del> } 3
5	C 850615 PPK		l'		1	55		ļ	ļ	<u> </u>	
6	C-900723 ZSM		<u></u>	<u></u>	* :	56	· · · ·	<u>                                     </u>	-	<del> </del>	• • •
7	C 900261 DLM			Con!	t Heari	57	•.				
8	C 891072 PSX		. *	Close	Hearing	58				T	, .
9	C 900700 HDX				1	59		1		THE STATE OF THE S	8
10	C 900391 PCQ		400	-	7	60		1:11	<del>}</del>		
11	C 900617 ZMQ		<u>                                     </u>	-	<u></u>	61			<del> </del>	1	** * 111
12					<del></del>	62	,	<del> </del>	<del> </del>	<del> </del>	
13	C 900284 POK		<del> </del>	Withd	1			<del> </del>	<del> </del>		
14	C 900725 POK		h-	Close	Hearing	<del>  </del>	20- میں جن داخت	500	<del> </del>		
	C 891038 MMR	***	:	<del> </del>	+	64	and the second of the second o	Mer.	ļ	· <b> </b>	
15	C 900532 PPR		<del></del>			65	ļ	<del> </del>	ļ		<u> </u>
16	N 900828 ZRY				+	66					
17	C 900273 PPM	1	<u> </u>	Fav	Report	67	·	<u> </u>		in placement and depleted .	<u>.</u>
18	C 900524 PPM	1	E-11. 11	1 1	11	<sup></sup> 68	-	<u> </u>			
19	N 910064 HKM	1/1		Forwa	ard Repor	t <sub>169</sub>	÷ .				•
ŻÓ	N 910065 HKM	17	1976	14.3	F	70		1000	Assembly State Co.	AL MANAGEMENT	
21	N 910067 HKM	1				71		<del> </del>			<del></del>
22		-	<del></del>	<del> '</del>	<b> </b>				<del> </del>		<del></del>
	N 910068 HKM	Y	<del> </del>	<del> </del>	<del> '</del>	72		<del> </del>	<u> </u>		
23	N 910069 HKM	1-	<del> </del>	'		73					
24	N 910070 HKM	1	<u> </u>	<u> '</u>		74					•
25	N 910071 HKM .	<u></u>		<u>                                     </u>		75					+ .
26	N 910072 HKM	/		1		76		1	1		
27	N 910007 ZRY	1		Eav.	Report	77		1			
28	C 900109 ZMX	1	<del> </del>	Fav.	Kepore	78		<del> </del>	-		
29.		\ <del>\</del>	-	<b> </b>	<b></b>	<del> </del>			<del></del>		
	C 900465 PPX	1-y	<del></del>		· · · · · · · · · · · · · · · · · · ·	79		<del> </del>			\$
30	C 900601 PLX	14	ļ <u>.                                    </u>	'		80					
31	N 900529 HGX	L				81					Ž.
32	С 900530 НИХ	/				82					11.571.
33	C 900531 HDX	7				83		1-			
34	C 900599 ZSX	/				84		1			
35	С 900626 них	17	1	+	*******	85		1	-	_	
36		+	<del> </del>			<del>-   1 - 1 - 1 - 1 - 1</del>	<del> </del>	<del>- </del>		<del></del>	
30 37	C 900627 HDX	1				86	ļ	9.4-			
	C 900689 HDX	<del>  '</del>	<del></del>	<del></del> '		87					
38	C 900633 PPQ	14		<del></del> '	<del>                                     </del>	88	· · · · · · · · · · · · · · · · · · ·	<u> </u>	-		
39	C 900546 FLQ	14			1,,,,,,,,,	89.	<del> </del>	<del>]</del>			
40	C 900644 PSQ	1		' ــــــــــــــــــــــــــــــــــــ		90			<u>.                                       </u>		*
41	C 900632 PPQ	1	the 1			- 91			<b>S</b>	- अस्तिवद्भारः	*
42	C 900558 PLK	1				MEE	TING ADJOURNED AT	: //:	07 A.	. M.:	×.
43	C 900433 PPK	1	1	1	-		ISSION ATTENDANCE	• • • • • • • • • • • • • • • • • • • •		PRESENT/AI	and
44		1		1	1	Rich	ard L. Schaffer,	Chair	rman		POEMI
	C 900469 DMK	+	-	1	***************************************	→ Victo	or G. Alicea, Vic nie L. Birch	:e-Cha	airman .		
45	C 900470 PPK	<del> </del>	<del> </del>		l Over	- Aman	da M. Burden		•		
46	C 900315 PCK	14,	,——	<del></del>	Report	'l Maari	ony I. Giacobbe ne Griffith	داند	,	<del></del>	A ME
47	N 910066 HKR	<u>\</u>			ard Report	Jame:	s C. Jao	-	À		
18	<b>**</b>	· .		to c	City Coun	1 ~~~~	da Levin A. Miele, Sr.		<u>.</u>		
19	,				<del></del>	Edwa	rd T. Rogowsky		্র	<u> </u>	
		1	-	+		Rona	ld Shiffman 📑 🔧	A SHOW IN	tions of		
50	Lois McDaniel,	Ca16	andar Of	fice	~		b Ward orah C. Wright, Co	ommis	gioners	<del></del>	·····
	22 Reade Street			Licer					***		
	New York, New Y	York		1216	Cal.		O Commissioners E	Burde:		in voted	''NO''
	(212) 720-3370						10 "	11	Surge in	11	11
		• ,	10/10/90	A	**	11 4	2 "	11	17 11	11	
N	!	.1.	4/10 / 71	<i>9</i> .	11	'' 4	6 Commissioner Ro	ogows	ky <b>A</b> BSTAI	NED	***
;· .		:	rustyeu					******	Kig .	•	`

# COMPREHENSIVE CITY PLANNING CALENDAR

of

The City of New York

CITY PLANNING COMMISSION

**WEDNESDAY, OCTOBER 10, 1990** 

MEETING AT 10:00 A.M.
in
CITY HALL



David N. Dinkins, Mayor

City of New York

[No. 18]

Prepared by Lois McDaniel, Calendar Officer

# CITY PLANNING COMMISSION

# GENERAL RULES OF PROCEDURE AS PERTAINING TO PUBLIC MEETINGS

- 1. A quorum shall consist of seven members.
- 2. Final action by the Commission shall be by the affirmative vote of not less than seven members.
- 3. Except by unanimous consent, matters upon which public hearing are required by law shall lie over until the next meeting following the public hearing.
  - 4. Matters not on the calendar may be considered by unanimous consent.

NOTE—Matters scheduled for public hearing by the City Planning Commission usually appear in three calendars: first in Section I, (Scheduling Dates for Future Public Hearings), second in Section II, (Public Hearings), and third in Section III, (Reports). Matters scheduled for public hearing by Community Boards appear in a separate calendar available in the Calendar Information Office.

CALENDARS: Any member of a Community Board, any civic association or non-profit organization may write the Calendar Officer of the Commission to be placed on the mailing list to receive the Comprehensive City Planning Calendar which consists of the City Planning Commission Public Meeting Calendar, Supplemental Calendar and Special Meeting Calendar, and Community Board Public Hearing Notices. Calendars are also available to the public in the Calendar Information Office, 22 Reade Street, Room 2E, New York, N.Y. 10007. Any other individual or organization wishing to be placed on the calendar mailing list may do so by sending a certified check, made out to the City of New York—Department of City Planning to the attention of the Calendar Information Office, 22 Reade Street, Room 2E, New York, New York 10007-1216. The fee, including tax, is \$64.95 for a two year subscription.

For Calendar Information: call (212) 720-3368, 3369, 3370. Note to Subscribers: Notify us of change of address by writing to:

> City Planning Commission Calendar Information Office 22 Reade Street—Room 2E New York, New York 10007-1216

# CITY PLANNING COMMISSION

22 Reade Street, New York, N.Y. 10007-1216

RICHARD L. SCHAFFER, Chairman

VICTOR G. ALICEA. Vice-Chairman

EUGENIE L. BIRCH

AMANDA M. BURDEN

ANTHONY I. GIACOBBE

MAXINE GRIFFITH

JAMES C. JAO. R.A.

Brenda Levin

JOEL A. MIELE, SR., P.E.

EDWARD T. ROGOWSKY

RONALD SHIFFMAN

JACOB B. WARD

DEBORAH C. WRIGHT, Commissioners

Lois McDaniel, Calendar Officer

The regular public meetings of the Commission shall be held twice monthly on Wednesday at 10:00 a.m. in City Hall, Manhattan, unless otherwise ordered.

# ORDER OF BUSINESS AND INDEX

#### **OCTOBER 10, 1990**

	Roll Call; approval of minutes	1
I,	Scheduling October 24, 1990	1
II.	Public Hearings	. 4
III.	Reports	65
	Community Board Public Hearing Notices are available in the	
	Calendar Information Office, Room 2E, 22 Reade Street,	
	New York, N.Y. 10007	

The next regular public meeting of the City Planning Commission is scheduled for October 24, 1990, in the City Hall, Room 16, Manhattan, New York at 10:00 a.m.

# GENERAL INFORMATION HOW TO PARTICIPATE:

Signing up to speak: Anyone wishing to speak on any of the items listed under "Public Hearings" in this Calendar, is requested to fill out a speaker's slip supplied at the staff desk outside the hearing chambers on the day of the hearing. Speakers on each item will be called in the order these slips are submitted, with the exception that public officials and Community Board Chairpersons will be allowed to speak first. If a large number of people wish to speak on a particular item, statements will be taken alternating every 30 minutes between those speaking in opposition and those speaking in support of the proposal.

Length of Testimony: In order to give others an opportunity to speak, all

speakers are asked to limit their remarks to three minutes.

Written Comments: If you intend to submit a written statement and/or other

documents please submit 20 sets of each.

Anyone wishing to present facts or to inform the Commission of their view on an item in this calendar, but who cannot or does not wish to speak at the public hearing, may fill out the form below and return it to the desk outside the hearing chambers or mail their written comments to:

# CITY PLANNING COMMISSION Calendar Information Office—Room 2E 22 Reade Street, New York, N.Y. 10007

(Extra copies of this form may be obtained in the Calendar Information Office at the above address.)

Subject	
Date of Hearing	Calendar No
Borough	Identification No.:
CB No.:	
Position:	
Opposed	
In Favor	
Comments:	
·	
<u> </u>	
Name:	
Address:	
Organization (if any	
Address	

# WEDNESDAY, October 10, 1990

APPROVAL OF MINUTES OF Regular Meeting of September 26, 1990 and Special Meeting of October 1, 1990

# I. PUBLIC HEARINGS OF THE FOLLOWING MATTERS TO BE SCHEDULED FOR WEDNESDAY, OCTOBER 24, 1990 STARTING AT 10 A.M. IN CITY HALL NEW YORK, NEW YORK

#### **BOROUGH OF BRONX**

No. 1

CD 1

C 900790 PPX

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of three (3) city-owned properties.

A list and description of the properties can be seen at the City Planning Commission, 22 Reade Street, Room 2E, New York, New York.

Resolution for adoption scheduling October 24, 1990 for a public hearing.

No. 2

CD 2

C 900791 PPX

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city-owned property located at 951-953 Whittier Street, Block No. 2755, Lot Nos. 109 and 110.

Resolution for adoption scheduling October 24, 1990 for a public hearing.

No. 3.

CD 2

C 900577 PSX

IN THE MATTER OF an application submitted by the New York City Department of Correction, pursuant to Section 197-c of the New York City Charter, for site selection of a city-owned property located on Ryawa Avenue, at the foot of Halleck Street (Block 2780, part of Lot 73), for temporary use as a floating detention facility.

Resolution for adoption scheduling October 24, 1990 for a public hearing.

## BOROUGH OF QUEENS

No. 4

CD 9

C 890211 ZMQ

IN THE MATTER OF an application submitted by Sheldon Lobel & Associates pursuant to Sections 197-c and 200 of the New York City Charter for an amendment of the Zoning Map, Section No. 14b, changing from an M1-1 district to an M1-5 district property bounded by Jamaica Avenue, a line midway between 121st Street and 123rd Street, and the northerly right-of-way line of the Long Island Rail Road (Montauk Division), as shown on a diagram dated July 23, 1990.

Resolution for adoption scheduling October 24, 1990 for a public hearing.

#### BOROUGH OF BROOKLYN

No. 5

CD3

C 850615 PPK

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of four (4) city-owned properties.

A list and description of the properties can be seen at the City Planning Commission, 22 Reade Street, Room 2E, New York, New York.

Resolution for adoption scheduling October 24, 1990 for a public hearing.

#### BOROUGH OF MANHATTAN

No. 6

CD 5 C 900723 ZSM

IN THE MATTER OF an application submitted by Time Out Family Amusement Centers, Inc. and Mid-City Associates pursuant to Sections 197-c and 200 of the New York City Charter and Section 74-47 of the Zoning Resolution for the renewal of a previously approved special permit (C860927 ZSM) to allow the continued operation of an existing amusement arcade on the Long Island Rail Road concourse level of property located at One Penn Plaza.

Plans for this proposal are on file with the City Planning Commission and may be seen in Room 3N, 22 Reade Street, New York, New York 10007.

Resolution for adoption scheduling October 24, 1990 for a public hearing.

# II. PUBLIC HEARINGS BOROUGH OF MANHATTAN

No. 7

CD 4

C 900261 DLM

#### **PUBLIC HEARING:**

IN THE MATTER OF the disposition of city-owned property pursuant to Section 197-c of the New York City Charter.

The property to be disposed, 347 West 37th Street (Block 761, Lot 9) is a vacant five-story old tenement located on the northerly side of West 37th Street, between 8th and 9th Avenues.

The proposed project involves the rehabilitation of this building, which upon completion, is to be operated by Foundation House Inc., as an emergency facility for 12 homeless mentally distributed individuals and 8 transitional apartments for 31 homeless disabled individuals.

(On September 26, 1990 Cal. No. 9, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

Close the hearing.

#### BOROUGH OF BRONX

No. 8

CD 6

C 891072 PSX

#### **PUBLIC HEARING:**

IN THE MATTER OF an application submitted by the New York City Fire Department (NYFD) pursuant to Section 197-c of the New York City Charter for site selection of city-owned property located at 1737-41 Washington Avenue (Block 2907; Lots 56, 57, 58, 61 and part of lot 1), for use as a vehicle inspection station.

(On September 26, 1990 Cal. No. 3, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

No. 9

**CD 10** 

C 900700 HDX

#### PUBLIC HEARING:

IN THE MATTER OF the disposition of city-owned property, pursuant to Section 197-c of the New York City Charter.

The property to be disposed, is located on the southerly side of Bartow Avenue, between Baychester Avenue and the Hutchinson River Parkway Extension. (Block 5141, part of Lot 1085), and comprises the site for a new seven-story 99 unit project for the elderly and handicapped, to be known as Project Hope.

The project's financing will be provided by a direct Federal Loan under section 202 of the National Housing Act of 1957, as amended, with subsidy for 100% of the units provided under Section 8 of the National Housing Act of 1937, as amended.

(On September 26, 1990 Cal. No. 4, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

Close the hearing.

# BOROUGH OF QUEENS

No. 10

CD 1

C 900391 PCQ

#### PUBLIC HEARING:

IN THE MATTER OF an application submitted by the Human Resources Administration pursuant to Section 197-c of the New York City Charter for site selection and acquisition of property located at 32-32 49th Street, (Block 734, Lot 47), for use as a laundry storage and distribution facility.

(On September 26, 1990 Cal. No. 5, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

#### No. 11

#### CD3

## C 900617 ZMQ

#### **PUBLIC HEARING:**

IN THE MATTER OF an application submitted by the Department of City Planning, pursuant to Sections 197-c and 200 of the New York City Charter, for an amendment of the Zoning Map, Section No. 9d:

- a) Changing from an R5 district to an R7-1 district, property bounded by 86th Street, a line 100 feet south of 37th Avenue, 87th Street, a line 400 feet north of Roosevelt Avenue, a line midway between 86th Street and 87th Street and a line 100 feet north of Roosevelt Avenue; and
  - b) Changing from an R7-1 district to an R5 district, property bounded by:
- 1) 87th Street, a line 400 feet north of Roosevelt Avenue, a line midway between 87th Street and 88th Street, and a line 100 feet north of Roosevelt Avenue; and
- 2) 88th Street, a line 100 feet south of 37th Avenue, 89th Street, and a line 400 feet north of Roosevelt Avenue; as shown on a diagram dated June 25, 1990.

(On September 26, 1990 Cal. No. 6, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

#### BOROUGH OF BROOKLYN

No. 12

CD3

C 900284 PQK

#### **PUBLIC HEARING:**

IN THE MATTER OF an application submitted by the Human Resources Administration pursuant to Section 197-c of the New York City Charter for acquisition of property located at 172 Franklin Avenue (Block 1912, Lot 41), for continued use as a day care center (David T. Bradley Day Care Center.)

(On September 26, 1990 Cal. No. 7 the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

Close the hearing.

No. 13

CD 3

C 900725 PQK

#### **PUBLIC HEARING:**

IN THE MATTER OF an application submitted by the Human Resources Administration purusant to Section 197-c of the New York City Charter for acquisition of property located at 40 Brevoort Place, (Block 2022; Lot 18), for continued use as a day care center (Bedford Avenue Day Care Center.)

(On September 26, 1990 Cal. No. 8 the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

#### BOROUGH OF STATEN ISLAND

#### No. 14

CD 3

C 891038 MMR

#### **PUBLIC HEARING:**

IN THE MATTER OF an application submitted by the New York City Department of Parks and Recreation pursuant to Sections 197-c and 199 of the New York City Charter, for an amendment to the city map to eliminate a portion of Blue Heron Park and to modify the park boundary lines accordingly, in accordance with Map No. 4075 dated July 26, 1989 and signed by the Borough President.

(On September 26, 1990 Cal. No. 1, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

Close the hearing.

No. 15

CD 3

C 900532 PPR

#### **PUBLIC HEARING:**

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city-owned property located at Arden Avenue and the West Shore Expressway, Block No. 5965, Lot No. 84.

(On September 26, 1990 Cal. No. 2, the Commission scheduled October 10, 1990 for a public hearing which has been duly advertised.)

#### **CITYWIDE**

#### No. 16

(Amendments to the Lower Density Contextual Zoning regulations adopted on 6/30/89. Amendments resolve unintended restrictions and interpretation problems in the existing text and establish a new district: R3X).

#### CONTINUED PUBLIC HEARING:

N 900828 ZRY

IN THE MATTER OF an application submitted by the Department of City Planning pursuant to Section 200 of the New York City Charter, for amendments of the Zoning Resolution of the City of New York, relating to various sections as follows:

Matter in **bold** is new, to be added.

Matter in strikeout is old, to be deleted.

Matter in oblique type is defined in Section 12-10 of the Zoning Resolution.

#### ARTICLE I

#### General Provisions

Chapter 1 Title, Establishment of Controls, and Interpretation of Regulations

11-12

R2X

**Establishment of Districts** 

In order to carry out the purposes and provisions of this Resolution, the following districts are hereby established:

Residence Districts

	0
R3A	Detached Residence District
R3X	Detached Residence District
R3-1	Detached and Semi-Detached Residence District
R3-2	General Residence District
R4A	Detached Residence District
R4-1	Detached and Semi-Detached Residence District
R4B	General Residence District
R4	General Residence District
R5	General residence District
R5B	General Residence District

Single-Family Detached Residence District

# 11-30 BUILDING PERMITS ISSUED BEFORE EFFECTIVE DATE OF RESO-LUTION OR AMENDMENT

#### 11-31

#### General Provisions

- (c) As used in Sections 11-32 (Building Permits Issued Before Effective Date of Resolution) or 11-33 (Building Permits for Minor or Major Development Issued before Effective Date of Amendment),
- (2) "Major Development" shall include:
  - (a) A development of two or more buildings which will be non-complying under the provisions of this Resolution or any applicable amendment thereto, with the exception of such a development designed for use as onefamily or two-family detached residences; or

#### 12-10 DEFINITIONS

#### Base plane

The "base plane" is a horizontal plane that:

- (a) within a distance of 100 feet from the street line extends over the zoning lot at either curb level or the mean natural grade level at the front yard line, whichever is higher. However, for buildings developed after June 30, 1989 in Residence Districts where the average elevation of the final grade adjoining the street wall of the building, excluding the entrance to the garage, is more than two feet below curb level, the base plane shall extend over the zoning lot at the average elevation of such final grade.
- (b) beyond a distance of 100 feet from the street line extends over the portion of a soning lot covered by a building at the average elevation of the final grade adjoining such building.

The average elevation of the final grade shall be determined in the manner prescribed by the Building Code of the City of New York for adjoining grade elevation.

#### **Base Plane**

A "base plane" is a plane from which the height of a building or other structure is measured in R2X, R3, R4, and R5 Districts.

#### Basement

A "basement", **except in R2X, R3, R4, and R5 Districts,** is a *story* (or portion of a *story*) partly below *curb level*, with at least one-half of its height (measured from floor to ceiling) above *curb level*. On *through lots* the *curb level* nearest to a *story* shall be used to determine whether such *story* (or portion of a story) is a *basement*.

In R2X, R3, R4, and R5 Districts, a *basement* is a *story* (or portion of a *story*) partly below the *base plane*, with at least one-half its height (measured from floor to ceiling) above the *base plane*. In addition, the following rules shall apply:

- (a) When a sloping base plane is established, a basement is a story (or portion of a story) partly below the street wall line level, with at least one-half its height (measured from floor to ceiling) above the street wall line level used to establish such base plane. On through lots, the street wall line level nearest to a story shall be used to determine whether such story or portion of a story is a basement.
- (b) All of the floor space with at least one-half its height (measured from floor to ceiling) above curb level shall be considered to be a basement where, subsequent to (the effective date of this amendment), the level of any yard except that portion of a yard in front of the entrance to a garage on a zoning lot is lowered below the level of the base plane.

# **Building segment**

A "building segment" is a portion of a building where such building consists of two or more contiguous portions, each comprised of one or more dwelling units having a separate residential entrance or entrances serving only those dwelling units within such portion. Building segments may share a common cellar or parking facility. However, a building segment may not be located above another building segment.

#### Cellar

A "cellar", except in R2X, R3, R4, and R5 Districts, is a space wholly or partly below *curb level*, with more than one-half its height (measured from floor to ceiling) below *curb level*. On through lots, the *curb level* nearest to such space shall be used to determine whether such space is a *cellar*.

In R2X, R3, R4, and R5 Districts, a *cellar* is a space wholly or partly below the *base plane*, with more than one-half its height (measured from floor to ceiling) below the *base plane*.

In addition, the following rules shall apply:

- (a) When a sloping base plane is established, a "cellar" is a space wholly or partly below the street wall line level, with more than one-half its height (measured from floor to ceiling) below the street wall line level used to establish such base plane. On through lots, the street wall line level nearest to such space shall be used to determine whether such space is a cellar.
- (b) All of the floor space with at least one-half its height (measured from floor to ceiling) above *curb level* shall be considered to be a *basement* where, subsequent to (the effective date of this amendment) the level of any *yard* except that portion of a *yard* in front of the entrance to a garage on a *zoning lot* is lowered below the level of the *base plane*.

#### Curb level

"Curb level" is the mean level of the curb adjoining a zoning lot. In R2X, R3, R4 or R5 Districts, where the base flood elevation is higher than eurb level, such elevation shall be deemed to be curb level for residential buildings.

#### Floor area

"Floor area" is the sum of the gross areas of the several floors of a *building* or *buildings*, measured from the exterior faces of exterior walls or from the center lines of walls separating two *buildings*. In particular, *floor area* includes:

(i) Floor space used for *accessory* off-street parking spaces provided in any *story* after June 30, 1989:

(4) within a group parking facility with five or more required spaces in R3, R4 or R5 Districts that is located in a space with a ceiling height that is more than six feet above eurb level within 100 feet of a street line or the base plane beyond 100 feet from a street line the base plane, or, if the base plane is a sloping base plane, six feet above the street wall line level used to establish such base plane. On through lots with sloping base planes, the street wall line level closest to a street shall be used to determine whether such space is floor area.

\* \* \*

(6) which is unenclosed and covered by a residential building or other structure for at least 50 percent of such accessory off-street parking space in R2X, R3, R4, and R5 Districts. Where such accessory off-street parking space is covered by a residential building other than a single or two-family detached or semi-detached residence in R3-2, R4, or R5 Districts, and not developed pursuant to the optional regulations applicable in a predominantly built-up area, such floor area shall include only that portion of the accessory off-street parking space in excess of 100 square feet per required space;

) floor space used for mechanical equipm

(m) floor space used for mechanical equipment that exceeds 50 square feet for the first dwelling unit, an additional 30 square feet for the second dwelling unit and an additional 10 square feet for each additional dwelling unit in R2X, R3, R4 or R5 Districts. For the purpose of calculating mechanical space, where rowhouses are developed on a single zoning lot, the Commissioner of Buildings may permit each such rowhouse to be considered a separate building. For the purposes of calculating floor space used for mechanical equipment, building segments on a single zoning lot may be considered to be separate buildings; and

(n) Any other floor space not specifically excluded.

However, the floor area of a building shall not include:

(f) Floor space used for accessory off-street parking spaces provided in any story:

\* \* \*

(3) within an attached residential building, rewhouse building segment or multiple dwelling in R3-2, R4 or R5 Districts if such floor space is within a group parking facility with five or more required spaces that is located in a space with a ceiling height not more than six feet above curb level within 100 feet of a street line or the base plane beyond 100 feet from a street line; the base plane, or, if the base plane is a sloping base plane, not more than six feet above the street wall line level used to establish such base plane. On through lots with sloping base planes, the street wall line level closest to a street shall be used to determine whether such space is floor area.

\* \* \*

- (5) in R3-2, R4, and R5 Districts, up to 100 square feet per required space which is unenclosed and covered by a residential building other than a single- or two-family detached or semi-detached residence for at least 50 percent of such accessory off-street parking space, except where such residences are developed or enlarged pursuant to the optional regulations applicable in a predominantly built-up area.
- (h) floor space used for mechanical equipment except that in R2X, R3, R4, or R5 Districts, such exclusion shall be limited to 50 square feet for the first dwelling unit, an additional 30 square feet for the second dwelling unit and an additional 10 square feet for each additional dwelling unit. For the purposes of calculating floor space used for mechanical equipment, building segments on a single zoning lot may be considered to be separate buildings;

#### Rear wall line

A "rear wall line" is that portion of a line drawn parallel to a front lot line at a distance equal to the greatest depth between the rear wall of a building and the front lot line, from which, when viewed directly from above, lines perpendicular to a street wall line may be drawn.

#### Rear wall line level

"Rear wall line level" is the mean level of the natural grade at the *rear wall* line.

#### Street wall line

A "street wall line" is that portion of a line drawn parallel to a *front lot line* at a distance equal to the shallowest depth between the *street wall* of a *building* and the *front lot line*, from which, when viewed directly from above, lines perpendicular to the *front lot line* may be drawn to a *street wall*.

#### Street wall line level

"Street wall line level" is the mean level of the natural grade at the street wall line. On corner lots, street wall line level is the average of the mean levels of the natural grade of each street wall line. On through lots, street wall line level is determined separately for each street frontage to a distance midway between such streets.

#### 21-10 PURPOSES OF SPECIFIC RESIDENCE DISTRICTS

21-13

R3A, R3X, R4A Detached Residence Districts

These districts are designed to provide for single or two-family detached dwellings on narrow zoning lots of specified lot widths. R3A Districts also permit zero lot line buildings. These districts also include community facilities and open uses which serve the residents of these districts or are benefited by a residential environment.

21-14

R3-1, R4-1 Detached and Semi-Detached Residence Districts

These districts are designed to provide for single- or two-family detached or semidetached dwellings. **R4-1 Districts also permit zero lot line buildings.** These districts also include community facilities and open uses which serve the residents of these districts or are benefited by a residential environment.

21 - 15

R3-2, R4B, R4, R5, R6, R7, R8, R9 and R10

General Residence Districts

These districts are designed to provide for all types of residential buildings, in order to permit a broad range of housing types, with appropriate standards for each district on density, open space, and spacing of buildings. However, R4B Districts are limited to single or two-family dwellings, and zero-lot line buildings are not permitted in R3-2, R4 (except R4-1 and R4B), and R5 (except R5B) Districts. The various districts are mapped in relation to a desirable future residential density pattern, with emphasis on accessibility to transportation facilities and to various community facilities, and upon the character of existing development. These districts also include community facilities and open uses which serve the residents of these districts or are benefited by a residential environment.

Chapter 2 Use Regulations

22-00 GENERAL PROVISIONS

The following chart sets forth the Use Groups permitted in the Residence Districts.

## USE GROUPS PERMITTED IN RESIDENCE DISTRICTS

Use Groups Community Residential **Facilities** 1 2 3 Districts R1 Single-family R2 detached residence X x Х Single- and two-family detached and zero lot line residence R3A x  $\mathbf{x}$ X X R3A Single- & two-family detached R3X residence R4A X X X X Single- & two-family detached R4-1 & semi-detached residence R3-1 х x x X Single- and two-family detached, semi-detached and zero lot line residences R4-1 X X X X Single- and two-family residences of all types R4-B X X X X R3-2 General residence\* R4 - R10

#### 22-10 USES PERMITTED AS OF RIGHT

22-12

Use Group 2

R3 R4 R5 R6 R7 R8 R9 R10

Use Group 2 consists of all other types of residential development.

#### A. Residential Uses

Residences of all kinds, including apartment hotels and non-profit residences for the elderly, except that:

<sup>\*</sup> Zero lot line buildings are not permitted in R3-2, R4 (except R4-1 and R4B), and R5 (except R5B) Districts.

 in R3A, R3X and R4A Districts residential uses shall be limited to single- or two-family detached residences except that in R3A Districts single- or two-family zero lot line buildings are also permitted.

23-12

Permitted Obstructions in Open Space

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In the districts indicated, the following shall not be considered obstructions when located in any *open space* required on a *zoning lot*, except that no portion of such *open space* which is also a required *yard* or *rear yard equivalent*, or is needed to satisfy the minimum required area or dimensions of a *court*, may contain any obstructions not permitted in such *yard*, *rear yard equivalent*, or *court*:

- (a) Driveways, private streets, open accessory off-street parking spaces or open accessory off-street loading berths, provided that the total area occupied by all these items does not exceed the percent of the total required open space on the zoning lot as follows:
  - (1) 50 percent in R1, R2, R3, R6, R7, R8, R9 or R10 Districts. In R3 Districts such open space, except in the front yard, shall have a minimum dimension of 15 feet;
  - (2) 33 66 percent in R4 or R5 Districts. Such open space, except in the front yard shall have a minimum dimension of 12 feet. In R4B or R5B Districts the requirements for outdoor recreation space for R6B Districts in Section 28 30 (RECREATION SPACE AND PLANTING AREAS) may be substituted for the minimum dimension requirement.

23-13

**Balconies** 

23-131

In R1 through R10 Districts Balconies in R1, R2, and R6 through R10 Districts R1 R2  $\frac{R3}{R4}$  R6 R7 R8 R9 R10

In the districts indicated, except R2X Districts, balconies which:

 (a) are unenclosed except for a parapet not exceeding three feet, eight inches in height or a railing not less than 50 percent open and not exceeding four feet, six inches in height;

- (b) are located at or higher than the floor level of the third story of a building or at least 20 feet above curb level, and except that in the case of a residential building not more than 32 feet in height, such balconies may be located at or above the floor level of the second story provided that such balcony is located not lower than seven feet above curb level, or seven feet above adjacent natural grade, whichever is higher;
- (c) have an aggregate length, at the level of any story, not exceeding 50 percent of the length at that level of the plane surface of the building wall from which they project; and
- (d) have an aggregate area of projection at the level of any story, not exceeding, in square feet, 1.8 times the length in feet at that level of such plane surface, may, by a distance not exceeding nine feet, penetrate any sky exposure plane or project into or over any required open area set forth in the following sections:

23-132

Balconies in R6A through R10A Districts

#### R6A R6B R7A R7B R7X R8A R8B R8X R9A R9X R10A

(a) In the districts indicated, balconies may be provided as set forth in Section 23-131 paragraphs (a) through (d) except that projections shall conform to the provisions of paragraph (b) below. In addition, balconies may be enclosed by the building walls provided that at least 33 percent of the perimeter of such balcony is unenclosed except for a parapet not exceeding three feet, eight inches in height or a railing not less than 50 percent open and not exceeding four feet, six inches in height., and such balcony is counted as Quality Housing lot coverage. The area of such balcony The portion of such balcony enclosed by building walls shall be counted as lot coverage but shall be excluded from the definition of floor area.

23-133

Balconies in R2X, R3, R4 and R5 Districts

R2X R3 R4 R5

In the districts indicated, balconies which:

- (a) are unenclosed except for a parapet not exceeding three feet, eight inches in height or a railing not less than 50 percent open and not exceeding four feet, six inches in height;
- (b) are located at or above the floor level of the second *story* provided that such balcony is not lower than seven feet above *curb level* or adjacent natural grade, whichever is higher;

- (c) have an aggregate length, at the level of any story, not exceeding 50 percent of the length at that level of the plane surface of the building wall from which they project; and
- (d) have an aggregate area of projection at the level of any story, not exceeding, in square feet, 1.8 times the length in feet at that level of such plane surface, may, by a distance not exceeding six feet, project into any required front yard except that where a front yard of 12 feet or less is provided, such projection shall not exceed one half the depth of such front yard; and may, by a distance not exceeding nine feet, project into any rear yard, rear yard equivalent, required distance between buildings as set forth in Section 23-71, or other open space as defined in Section 12-10. In addition, balconies may be enclosed by building walls provided that at least 33 percent of the perimeter of such balcony is unenclosed except for a parapet not exceeding three feet, eight inches in height or a railing not less than 50 percent open and not exceeding four feet six inches in height. The portion of such balcony enclosed by building walls shall be included as lot coverage but shall be not be included as floor area as defined in Section 12-10 (Definitions).

23-141

In Rl, R2, R3, R4, or R5 Districts

R1 R2 R3 R4 R5

Except as otherwise provided in Section 23-144 (For non-profit residences for the elderly in R3, R4, R5, R6 and R7 Districts), in the districts indicated, the minimum required open space or open space ratio, the maximum lot coverage and the maximum floor area ratio for any building on a zoning lot shall be as set forth in the following tables:

(a) Minimum required		Maximum floor		
	open space ratio	area ratio	District	
	150.0	0.50	R1 R21	
IDO	V is subject to the provis	iona of noncement (b)		

<sup>&</sup>lt;sup>1</sup>R2X is subject to the provisions of paragraph (b).

(b)	Maximum lot coverage (in percent)	Minimum required open space (in percent)	Maximum floor area ratio	District	
	1	. 1	.50*	R3A <b>R3X</b>	
	governed by <i>yard</i>	governed by <i>yard</i>	.75*	R4A R4-1	
	requirements	requirements	.85*	R2X	
	35	65	.50*	R3-1 R3-2**	
	45	55	.75*	R4**	
			.90	R4B	
			1.25	R5**	
	55	45	1.35	R5B	

<sup>\*</sup>The floor area ratio in the table above may be increased by up to 20 percent provided that any such increase in floor area is located under a sloping roof which rises at least 3 1/2 inches in vertical distance for each foot of horizontal distance and the structural headroom of such floor area is between five and eight feet.

(c) The maximum floor area ratio, and lot coverage and the minimum required open space for any building or buildings on a zoning lot utilizing the special optional regulations of a predominantly built-up area is set forth in the following table:

Maximum lot coverage (in percent)	Minimum required open space (in percent)	Maximum floor area ratio	District
55	45	1.35	R4
55	45	1.65	R5

<sup>\*\*</sup>The permitted floor area of a single- or two-family detached or semi-detached residence developed after June 30, 1989 may be increased by 100 square feet if at least one enclosed accessory off-street parking space is provided in a garage located in the side lot ribbon pursuant to Section 23-12(f) (Permitted Obstructions in Open Space), 23-441 (Location of garages in side yards of corner lots) or 23-442 (Location of garages in side yards of other zoning lots).

- (d) In R3 Districts, except for zoning lots developed with single-, two-, or three-family residences, 50 percent of the required open space on a zoning lot, except such open space in a front yard, shall have a minimum dimension of 12 feet and shall not be used for driveways, private streets, open or enclosed accessory off-street parking spaces or open or enclosed accessory off-street loading berths.
- (e) In R4 and R5 Districts, except for zoning lots developed with single, two-, or three-family residences, 33 percent of the required open space on a zoning lot, except such open space in a front yard, shall have a minimum dimension of 12 feet and shall not be used for driveways, private streets, open or enclosed accessory off-street parking spaces or open or enclosed accessory off-street loading berths.

23-22

Required Lot Area per Dwelling Unit, Lot Area per Room or Floor Area per Room

23-222

In R3, R4 or R5 Districts

R3 R4 R5

Except as otherwise provided in Section 23-225 (Lot area requirements for non-profit residences for the elderly), in the districts indicated, the required *lot area per dwelling unit* shall not be less than as set forth in the following table and any *dwelling unit* shall contain at least 300 square feet of *floor area*.

#### REQUIRED LOT AREA PER DWELLING UNIT

 Square feet	District	
1,450	R3-2*	
1,185	R3A**	
1,040	R3-1**	
1,660	R3X**	
1,425	R4A**	
970	R4-1** R4 R4B	
666	R5B***	
605	R5	

<sup>\*</sup>For a detached or semi-detached single- or two-family residence the required lot area per dwelling unit and minimum dwelling unit size for an R3-1 District shall apply.

<sup>\*\*</sup>If a building has two dwelling units, one shall contain at least 925 gross square feet of floor area.

\*\*\*In buildings subject to the provisions of Section 25-632 (Prohibition of curb cuts in certain districts) the required lot area per dwelling unit shall be 1,000 square feet.

In the case of a development in a predominantly built-up area, the required lot area per dwelling unit shall not be less than as set forth in the following table:

	REQUIRED	LOT AF	REA PER	DWELL	ING UNIT
--	----------	--------	---------	-------	----------

	Square feet	District	
•	666	R4	
	545	R5	

23-32

Minimum Lot Area or Lot Width for Residences

#### R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In all districts, as indicated, except as provided in Section 23-33 (Special Provisions for Existing Small Lots), no residence is permitted on a zoning lot with a total lot area or lot width less than as set forth in the following table:

REQUIRED MINIMUM LOT AREA AND LOT WIDTH

Type of residence	Minimum  lot area (in square feet)	Minimum lot width (in feet)	District
Single-family	9,500	100	R1-1
detached	5,700	60	R1-2
	3,800	40	R2
	2,850	30	R2X
Single- or two-family detached or zero lot	3,800	40	R3 R4 R5 R6 R7 R8 R9 R10
line where	3,325	35	R3X
permitted	2,850	30	R4A
	2,375	25	R3A R4B R4-1 R5B
Any other permitted	1,700	18	R3 R4 R5 R6 R7 R8 R9 R10

23-33

Special Provisions for Existing Small Lots

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In all districts, as indicated, either one single-family detached residence or, where permitted, one single- or two-family residence may be built upon a zoning lot consisting entirely of a tract of land:

- (a) which has less than the prescribed minimum lot area or lot width, and
- (b) which was owned separately and individually from all other adjoining tracts of land, both on December 15, 1961 and on the date of application for a building permit, or in R2X, R3A, R3X or R4A Districts both on the effective date of establishing such district on the zoning maps and on the date of application for a building permit, and
- (c) which, if developed as a two-family residence, meets the applicable lot area per dwelling unit or lot area per room requirement of the zoning district in which such zoning lot is located.

#### 23-44

Permitted Obstructions in Required Yards or Rear Yard Equivalents

In all *Residence Districts*, the following shall not be considered obstructions when located within a required *yard* or *rear yard equivalent*:

(a) In any yard or rear yard equivalent:

Unenclosed balconies of a residential building containing a maximum of three dwelling units and subject to the applicable provisions of Section 23-13 (Balconies). may, by a distance not exceeding six feet project over a required front yard. Such balconies may are not be permitted in required side yards.

#### 23-45

Minimum Required Front Yards

#### R1 R2 R3 R4 R5

(a) In the districts indicated, front yards shall be provided as set forth in the following table, except that for a corner lot in an R1-2 District, one front yard may have a depth of 15 feet, and for a corner lot in an R3 District one front yard may have a depth of 10 feet.

FRON	IT YARD
Feet	District
20	R1
15	R2 R3-1 R3-2
10	R3A <b>R3X</b> R4A R4-1
(except as provided	
in paragraphs (b)	
and (c) below)	
(except as provided	

 10*	R4 R5	
5	R4B R5B	
(except as provided		
in paragraphs (b)		
and (c) below)		

\*The depth of a front yard shall be at least 18 feet if it exceeds 10 feet, or the zoning lot is developed or enlarged pursuant to the optional regulations applicable in a predominantly built-up area. In either case, on a corner lot, one front yard may have a depth of at least 10 feet.

\*If the depth of a front yard exceeds 10 feet or the zoning lot is developed pursuant to the optional regulations applicable in a predominantly built-up area, the depth of a front yard shall be at least 18 feet. However, on a corner lot, if one front yard has a depth of at least 18 feet the other front yard shall have a depth of at least 10 feet.

Furthermore, if an opening to an accessory off-street parking space is located within the street wall of a residential building, there shall be an open area between the opening and the street line which is at least 8 1/2 feet in width by 18 feet in depth.

## R3A R3X R4A R4-1 R4B R5B

- (b) For the purpose of paragraphs (b) and (c) the area between the *street line* and the front *building* wall of adjacent *buildings* on the same or adjoining *zoning lots* shall be considered adjacent *front yards*.
  - Except as provided in (c) below, in the districts indicated, if adjacent residential buildings on the same or on adjoining zoning lots fronting on the same street have front yards greater than the minimum set forth in (a) above, then a front yard shall be provided which:
  - (1) in R3A, R3X, R4A or R4-1 Districts is at least as deep as an adjacent front yard; and
  - (2) in R4B or R5B Districts is no deeper than the deepest adjacent front yard and no shallower than the shallowest adjacent front yard;

However, a front yard need not exceed 20 feet in depth.

In determining the depth of the adjacent front yards, balconies, and projections from the front building wall that do not exceed 33 percent of the aggregate width of the building shall be disregarded.

For new developments or enlargements, projections into the required front yard are permitted provided that the aggregate width of all projections at the level of any story does not exceed 33 percent of the aggregate width of the building. The depth of such projections shall not exceed three feet into the front yard. However, balconies shall be subject to the provisions of Sections 23-13 and 23-44.

23-461
Side yards for single- or two-family residences

#### R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

(a) In all districts, as indicated, for single-family detached residences, or where permitted, for two-family detached residences, side yards shall be provided as set forth in the following table:

## MINIMUM REQUIRED SIDE YARDS

Required

Number required	Required total width (in feet)	minimum width of any side yard (in feet)	District	
 2	35	15	R1-1	
 2	20	8	R1-2	
2	13	5	R2 R3-1 R3-2 R4 R5 R6 R7 R8 R9 R10	
2	10	2*	R2X <b>R3X</b> R4A	
1	8	0*	R3A R4-1 R4B R5B	

\*An open area with a minimum width of eight feet, and parallel to the side lot line, is required along a common side lot line between a new development, enlargement or alteration and a residential building on an adjacent zoning lot, except where such provision would require the total width of side yards on a zoning lot to exceed 13 feet, except that the total width of side vards on a zoning lot need not exceed 13 feet, with both side yards at least five feet wide. However, where an adjacent zoning lot has an existing detached residence with side yards totaling 13 feet in width with one side yard at least five feet wide, or an existing semi-detached residence with a side yard at least eight feet wide, the open area shall have a minimum width of ten feet except where such provision would require the total width of side vards on a soning lot to exceed 13 feet, except that the total width of side vards on a zoning lot need not exceed 13 feet, with both side vards at least five feet wide. Only chimneys, eaves, gutters, downspouts, open accessory off-street parking spaces, steps, and ramps for access by the handicapped shall be permitted obstructions in such open area and such obstructions may not reduce the minimum width of the open area by more than three feet.

R3-1 R3-2 R4 R4-1 R4B R5

(b) In the districts indicated for *single-* or *two-family semi-detached residences*, a *side yard* shall be provided as set forth in the following table:

# MINIMUM REQUIRED SIDE YARD

MINIMOM REQUIRED SIDE TARD		
 Feet	District	
8	R3-1 R3-2 R4 R5	
4*	R4-1 R4B R5B	

\*An open area with a minimum width of eight feet and parallel to the side lot line is required along a common side lot line between a new development, enlargement or alteration and a residential building on an adjacent zoning lot. However, where an adjacent zoning lot has an existing detached residence with side yards totaling 13 feet in width with one side yard at least five feet wide, or an existing semi-detached residence with a side yard at least eight feet wide, the open area shall have a minimum width of ten feet. except where such provision would require the width of a side yard on a zoning lot to exceed eight feet. Only chimneys, eaves, gutters, downspouts, open accessory off-street parking spaces, steps and ramps for access by the handicapped are permitted obstructions in such open area and such obstructions may not reduce the minimum width of the open area by more than three feet.

23-462

Side yards for all other residential buildings

#### R3 R4 R5 R6 R7 R8 R9 R10

In the districts indicated, for all other residential buildings, side yards shall be provided as follows:

#### R3-2 R4 R5

(a) In the districts indicated, except R4B or R5B Districts, two side yards, each with a minimum required width of eight feet, shall be provided. However, if a detached residential building has an aggregate width of street walls of more than 80 feet, two side yards shall be provided, each equal to not less than 10 percent of such aggregate width of street wall. For residential buildings not exceeding two stories and basement in height, no such side yard need be more than 15 feet wide.

**R4B R5B** 

(b) In the districts indicated, no side yards are required; however, if an open area extending along a side lot line is provided at any level, it shall measure at least eight feet wide between a new development or enlargement and a building on an adjacent zoning lot has a side yard, an open area with a minimum width of eight feet, and parallel to the side lot line, is required along the common side lot line between the new development, enlargement or alteration and the residential building on the adjacent zoning lot.

23-464

Side yards for buildings used for permitted non-residential uses

#### R1 R2 R3 R4 R5

(a) In the districts indicated, except in R4B or R5B Districts, if a building used for permitted non-residential uses has an aggregate width of street walls equal to 60 feet or less, two side yards shall be provided, each with a minimum required width of eight feet. If such building has an aggregate width of street walls equal to more than 60 feet, two side yards shall be provided, each equal to not less than 15 percent of the aggregate width of street walls.

#### R6 R7 R8 R9 R10

(b) In the districts indicated, no *side yards* are required. However, if any open area extending along a *side lot line* is provided, it shall be at least eight feet wide.

23-48

Special Provisions for Existing Narrow Zoning Lots

R1 R2 R3-1 R3-2 R4 R5 R6 R7 R8 R9 R10

In the districts indicated, except R2X, R3A, R3X, R4A, R4-1, R4B or R5B Districts, the required total width of side yards for a ene single-family detached or two-family detached residence may be reduced by four inches for each foot by which the width of a zoning lot is less than that required under the provisions of Section 23-32 (Minimum Lot Area or Lot Width for Residences) if such zoning lot consists entirely of a tract of land:

- (a) which has less than the prescribed minimum lot width; and
- (b) which was owned separately and individually from all other adjoining tracts of land, both on December 15, 1961 and on the date of application for a building permit.

However, in no event shall the required width of a side yard be less than five feet.

# 23-60 HEIGHT AND SETBACK REGULATIONS

**Definitions and General Provisions** 

23-61

**Definitions** 

Words in italics are defined in Section 12-10 or, if applicable exclusively to this Section, in this Section.

## Base plane

A "base plane" is a plane from which the height of a building or other structure is measured in R2X, R3, R4, and R5 Districts. For buildings, portions of buildings with street walls at least 15 feet in width, or building segments within 100 feet of a street line, the level of the base plane is any level between curb level and street wall line level. Beyond 100 feet of a street line, the level of the base plane is the average elevation of the final grade adjoining the building or building segment, determined in the manner prescribed by the Building Code of the City of New York for adjoining grade elevation. In either case, where the base flood elevation is higher than grade, the base flood elevation may be the level of the base plane. In addition, the following regulations shall apply:

# (a) Within 100 feet of a street line:

- (i) The level of the base plane for a building or building segment without a street wall shall be determined by the average elevation of the final grade adjoining such building or building segment.
- (ii) Where a base plane other than curb level is established, the average elevation of the final grade adjoining the street wall of the building or building segment, excluding the entrance to a garage within the street wall, shall not be lower than the level of the base plane, unless the base plane is also the base flood elevation.
- (iii) For buildings developed after June 30, 1989 in Residence Districts, where the average elevation of the final grade adjoining the street wall of the building, excluding the entrance to a garage within the street wall, is more than two feet below curb level, the level of the base plane shall be the elevation of such final grade, unless the base plane is also the base flood elevation.

- (iv) As an option, on sites which slope from the street wall line level to the rear wall line level by at least 10 percent to the horizontal, the level of the base plane may extend in a sloping plane from such street wall line level to such rear wall line level. When a sloping base plane is thus established, the average elevation of the final grade at the rear wall line shall not be lower than the rear wall line level.
- (b) For all buildings, where base planes of different elevations apply to different portions of a building, only that portion of the building to which such base plane applies may be used to determine such base plane.
- (c) For buildings located partially within and partially beyond 100 feet of a street line, or where corner lot or through lot regulations subject different portions of a building to base planes of different elevations, separate base planes may be determined for each such portion of the building or, as an option, the elevation of each such base plane may be multiplied by the percentage of the total lot coverage of the building to which such base plane applies. The sum of the products thus obtained may be the elevation of the adjusted base plane applicable to such building.

#### Curb level

In R2X, R3, R4 and R5 Districts, for the purposes of determining a base plane, "curb level" is the mean level at that portion of the curb adjoining a zoning lot from which, when viewed directly from above, lines perpendicular to the curb may be drawn to a street wall. On corner lots, curb level is the average of the mean levels of such portions of the curbs on intersecting streets. On through lots, curb level is determined separately for each street frontage to a distance midway between such streets.

#### 23-621

Permitted obstructions in certain districts

#### R3 R3A R4 R4A R4-1

(a) In the districts indicated, except R4B Districts, permitted obstructions are limited to those listed in paragraphs (a), (d) and (g) of Section 23-62.

#### R2X

- (b) In the district indicated, permitted obstructions are limited to those listed in paragraphs (a), (b), (d) and (g) of Section 23-62. Dormers may be considered permitted obstructions if:
  - (i) the aggregate width of dormers facing the *street line* is equal to not more than 50 percent of the width of the *street wall line*;

- (ii) the aggregate width of dormers facing the rear lot line is equal to not more than 50 percent of the width of the rear wall line;
- (iii) the aggregate width of dormers facing a side lot line is equal to not more than 50 percent of the width of a straight line connecting and perpendicular to the street wall line and the rear wall line; and
- (iv) on a corner lot, the aggregate width of dormers facing a side lot line is equal to not more than 50 percent of the width of the rear wall line facing such side lot line.

23-63

Maximum Height of Walls and Required Setbacks

#### R1 R2 R6 R7 R8 R9 R10

In the districts indicated, **except R2X Districts**, the maximum height of a front wall of any portion of a *building or other structure* shall be as set forth in this Section, except as otherwise provided in Section 23-62 (Permitted Obstructions), Section 23-64 (Alternate Front Setbacks), Section 23-65 (Tower Regulations), Section 74-85 (Special Height and Setback Regulations) or Section 23-692 (Additional regulations for narrow buildings or enlargements).

#### R2X R3 R4 R5

In the districts indicated, the maximum height of a building or other structure shall be as set forth in this Section except as set forth in Section 23-62 (Permitted Obstructions).

23-631

Height and setback in R1, R2, R3, R4 and R5 Districts

#### R1 R2

(a) In the districts indicated, other than R2X Districts, the front wall or any other portion of a building or other structure shall not penetrate the sky exposure plane set forth in the following table:

# MAXIMUM HEIGHT OF FRONT WALL AND REQUIRED FRONT SETBACKS

Sky exposure plane

Slope over zoning lot
(expressed as a ratio of vertical distance to
horizontal distance)

Height above front yard line (in feet)	Vertical distance	Horizontal distance	District	
25		o 1	R1 R2	<del></del>

#### R2X R3 R3A R4 R4A R4-1

(b) In the districts indicated, the height and setback of a building or other structure shall be as set forth herein except where modified pursuant to paragraphs (f) (g) and (h) of this Section.

For the purposes of this Section, where base planes of different elevations apply to different portions of a building or other structure, each such portion of the building may be considered to be a separate building. Furthermore, for the purposes of this Section, building segments may be considered to be separate buildings and adjacent semi-detached buildings may be considered to be one building.

The perimeter walls of a building or other structure are those portions of the outermost walls enclosing the floor area within a building or other structure at any level and height is measured from the base plane. Perimeter walls are subject to setback regulations at a maximum height above the base plane of:

21 feet	R2X R3* R4A*		
25 feet	R4 R4-1		

\*-Non-profit residences for the elderly in these districts may use the height and setback regulations applicable in R4 districts.

(Above these heights, sloping planes control the maximum height of the building or other structure requiring either a setback or a pitched roof. These planes start at the maximum permitted height of the perimeter walls and meet at a ridge line of 35 feet above the base plane. The exact locations of these planes are flexible and are determined in the steps set forth in paragraphs (1) through (7)(5) as follows:

- (1) At a height of 35 feet above and parallel to the base plane, a plane is projected above the area enclosed by and including the perimeter walls of the building or other structure. (See Figure A).
- (2) Each perimeter wall of the building or other structure with a horizontal dimension of 8 feet or more may have an apex point directly above it on the 35 foot high plane. (See Figure B). The horizontal location of the apex point is flexible as long as it is directly above its perimeter wall subject to the maximum angle of pitch in paragraph (6). An apex point is not required for each qualifying perimeter wall; however, the maximum number of apex points above each such wall is one.
- (3) One ridge line is extended in a straight line from each apex point along the 35 foot high plane. Ridge lines which connect 2 apex points may cross other ridge lines. Otherwise, ridge lines which extend from only one apex point must terminate at a point of intersection with another ridge line. (See Figure C)

- (4) Lines are drawn from the points of intersection of the perimeter walls at the level of their maximum height (21 or 25 feet) to the apex point directly above that particular perimeter wall. (See Figure D)
- $\begin{array}{ll} \textbf{(5)} & \textbf{The perimeter wall envelope is extended vertically up to the height of the lines} \\ & \textbf{thus generated. (See Figure E)} \end{array}$
- (6) Sloping planes bounded by the lines drawn in paragraphs (3) and (4) are extended in a straight line outward and downward from each ridge line until they reach the 21 or 25 foot high maximum permitted height of the perimeter wall or intersect another sloping plane extended in a similar fashion from a second ridge line. (See Figure F). The maximum angle of pitch for any sloping plane may not exceed 80 degrees in relation to a plane drawn parallel to the base plane at the maximum permitted height of the perimeter wall. (See Figure H)
- (7) The maximum height of the permitted perimeter walls, the perimeter wall extensions generated in paragraph (4), and the sloping planes generated in paragraph (6) define the building envelope. No portion of the building or other structure may penetrate this envelope except as set forth in section 23-621 (Permitted obstructions in certain districts). Eaves may extend the roof lines 18 inches beyond the exterior walls. Unenclosed balconies, subject to the provisions of Section 23-13 (Balconies) may be provided below the maximum height of the permitted perimeter walls.
- (1) At a height of 35 feet above and parallel to the base plane, a plane is projected above the area enclosed by and including the perimeter walls of the building or other structure. A second plane (the perimeter wall plane) is projected in the same manner at a height of 21 or 25 feet above the base plane. (See Figure A).
- (2) Each perimeter wall of the building or other structure with a horizontal dimension of 8 feet or more which projects from an adjacent perimeter wall at least 18 inches may have an apex point directly above it on the 35 foot high plane. (See Figure B). The location of the apex point is flexible provided it is directly above its perimeter wall and provided a line drawn from the intersection of two perimeter walls to such an apex point does not exceed 80 degrees to the horizontal. An apex point is not required for each qualifying perimeter wall; however, the maximum number of apex points above each such wall is one.
- (3) One "ridge line" is extended in a straight line from each apex point along the 35 foot high plane. Ridge lines which connect two apex points may cross other ridge lines. Otherwise, ridge lines which extend from only one apex point must terminate at a point of intersection with another ridge line. (See Figure C).

- (4) Sloping planes are extended in a straight line outward and downward from each ridge line until they intersect the perimeter wall plane. Every sloping plane generated must intersect the perimeter wall plane for the full width of the ridge line from which it extends. (See Figure D). The maximum angle of pitch for any sloping plane may not exceed 80 degrees to the horizontal. Sloping planes extended from ridge lines perpendicular or within 45 degrees of being perpendicular to each other may intersect, in which case the higher plane defines the limit of the envelope. Sloping planes extended from ridge lines parallel or within 45 degrees of being parallel to each other must intersect the perimeter wall plane without intersecting each other.
- (5) The perimeter walls are then extended vertically beyond the perimeter wall plane, up to the heights defined by the sloping planes generated in step 4. (See Figure E). The perimeter walls of the building, the sloping planes and the perimeter wall extensions define the building envelope. (See Figure F). The building envelope may be penetrated above the maximum permitted perimeter wall height by those items set forth in Section 23-621 (Permitted obstructions in certain districts). Those items listed in Section 23-44 (Permitted Obstructions in Required Yards or Rear Yard Equivalents), and roofed porches and porticoes subject to all applicable provisions, may penetrate the building envelope below the maximum permitted perimeter wall height. Eaves may extend the roof lines 18 inches beyond the exterior walls.

(8)

# (6) Special Situations

### R2X R3 R3A R4 R4A R4-1

(i) For convex curved perimeter walls the building or other structure must be within a plane curve tapering uniformly to a vertex located at a height of 35 feet. For concave curved perimeter walls, the building or other structure must lie within a plane curve extending from the maximum perimeter wall height to a ridge line parallel to the prolongation of the perimeter wall at the 35 foot level. Such plane curves may not exceed a pitch of 80 degrees in relation to a plane drawn parallel to the base plane at the maximum height of the permitted perimeter wall. (See Figure JG)

# R2X

(ii) In the district indicated, at the 21 foot maximum permitted height of a perimeter wall, sloping planes are projected inwards and upwards. From a permitted front perimeter wall and from 21 feet above the base plane and 20 feet from and parallel to a rear lot line, such sloping plane shall not exceed a pitch of 45 degrees in relation to a plane drawn parallel to the base plane at a height of 21 feet. (See Figure KH). Other sloping planes slope toward a ridge line at 35 feet and may not exceed a pitch of 80 degrees in relation to a plane drawn parallel to the base plane at a height of 21 feet.

# R4B

(c) In the district indicated, no portion of the building or other structure, including the apex of a roof, shall penetrate a plane 24 feet in height above the base plane except for permitted obstructions as set forth in Section 23-62.

## R5 R5B

(d) In the districts indicated, except R5B Districts, no portion of a building or other structure, including the apex of a roof, may penetrate a plane 40 feet above the base plane, except for permitted obstructions as set forth in Section 23-62 or paragraph (f) of this Section. In addition, the maximum height of a street wall above the base plane shall be 30 feet. In the Special Ocean Parkway District, the Special Coney Island Mixed Use District, and the Special Hunters Point Mixed Use District, the maximum height of a street wall shall be 32 feet. Above such height, a setback of 15 feet is required. Within the setback distance, no portion of the building or other structure, including the apex of a roof, may penetrate a plane rising from the maximum street wall height, at 20 degrees to the horizontal, except for permitted obstructions as set forth in Section 23-62 or paragraph (f) of this Section.

Developments or enlargements which utilize the optional regulations of Section 23-141 applying to a predominantly built-up area shall be subject to the height and setback requirements for an R5B District. In the Special Ocean Parkway District, the Special Concy Island Mixed Use District, and the Special Hunters Point Mixed Use District, for developments or enlargements which utilize the optional regulations of Section 23-141 applying to a predominantly built-up area, the maximum height of a residential building shall not exceed 32 feet except for permitted obstructions as set forth in Section 23-62. Furthermore in these special districts for developments or enlargements with pitched roofs, the midpoint of such pitched roof shall not exceed a height of 32 feet.

In R5B Districts, no portion of a building or other structure, including the apex of a roof, may penetrate a plane 33 feet above the base plane, except for permitted obstructions as set forth in Section 23-62. Furthermore, the maximum height of a street wall above the base plane shall be 30 feet. Above such height, no portion of the building or other structure, including the apex of a roof, may penetrate a plane rising from the maximum street wall height, at 20 degrees to the horizontal, to a maximum height of 33 feet above the base plane except for permitted obstructions as set forth in Section 23-62.

As an alternative front setback regulation for non-profit residences for the elderly in R5 Districts the maximum height of the front wall before setback may be 35 feet if a front yard with a depth of 18 feet is provided. Above this height, no portion of a building or other structure shall penetrate a front sky exposure plane which begins at a height of 35 feet above the front yard line and rises over the building at a slope of one foot of vertical distance for each foot of horizontal distance. No portion of the building or other structure, including the apex of a roof, shall penetrate a plane 40 feet in height above the base plane.

### $R_5$

(d) In the district indicated, except R5B Districts, no portion of a building or other structure, including the apex of a roof, may penetrate a plane 40 feet above the base plane. In addition, the maximum height of a street wall above the base plane shall be 30 feet. On corner lots, the 30 foot maximum street wall height shall apply to only one street frontage. Above such height, a setback of 15 feet is required. Within the setback distance, no portion of the building or other structure, including the apex of a roof, may penetrate a plane rising from the maximum street wall height, at 20 degrees to the horizontal. Developments or enlargements which utilize the optional regulations of Section 23-141 applying to a predominantly built-up area shall be subject to the height and setback regulations for an R5B District. The provisions of this paragraph may be modified pursuant to Section 23-62 (Permitted Obstructions) and paragraphs (g) and (h) of this Section.

# R<sub>5</sub>B

(e) In the district indicated, no portion of a building or other structure, including the apex of a roof, may penetrate a plane 33 feet above the base plane. In addition, the maximum height of a street wall above the base plane shall be 30 feet. Above such height, no portion of the building or other structure shall penetrate a plane rising from the maximum street wall height, at 20 degrees to the horizontal, to a maximum height of 33 feet above the base plane. On corner lots, the 30 foot maximum street wall height shall apply to only one street frontage. The provisions of this paragraph may be modified pursuant to Section 23-62 (Permitted Obstructions), and paragraph (g) of this Section.

## R3A R4A R4-1 R4B R5B

<del>(e)</del>

- (f) In the districts indicated, a second story line-up is required as follows:
  - Where at least 75 percent of the residential buildings within 150 feet of the side lot lines of the zoning lot have a first story front projection that is at least 50 percent of the width of the building, the street wall of the development or enlargement shall be no closer to the street line than the second story street wall of an adjacent residential building facing on the same street.

One story projections in front of the building are permitted for new developments or enlargements provided that such projections are no closer to the street line than an adjacent one story projection, front yard line and such projections are no higher than 13 feet above the front yard line. street wall line level. Projections from the second story street wall are permitted for new developments or enlargements provided that the aggregate width of all projections at that level does not exceed 33 percent of the aggregate width of the building at the second story, and the depth of the projections does not exceed three feet.

- (g) The height and setback regulations of this Section are modified as follows:
  - (1) In R3-1 and R3-2 Districts, single or two-family detached residences on zoning lots of at least 9,500 square feet in area and at least 100 feet of frontage along a street may use the height and setback regulations applicable in an R2 District.
  - (2) In R3 and R4A Districts, non-profit residences for the elderly may use the height and setback regulations applicable in an R4 District.
  - (3) In R5 Districts, as an alternative front setback regulation for non-profit residences for the elderly,

no portion of the building or other structure shall penetrate a sky exposure plane which begins at a height of 27 feet above an initial setback distance of 10 feet and rises over the zoning lot at a slope of one foot of vertical distance for each foot of horizontal distance to a maximum height of 40 feet above the base plane. On corner lots, the sky exposure plane shall apply to only one street frontage. The provisions of this subparagraph may be modified pursuant to Section 23-62 (Permitted Obstructions), and paragraph (h) of this Section.

(4) In the Special Ocean Parkway District, the Special Coney Island Mixed Use District, and the Special Hunters Point Mixed Use District, for buildings or other structures developed or enlarged pursuant to the regulations of an R5 District, no portion of a building or other structure, including the apex of a roof, may penetrate a plane 40 feet above the base plane. In addition, the maximum height of a street wall above the base plane shall be 32 feet. On corner lots, the 32 foot maximum street wall height shall apply to only one street frontage. Above such height, a setback of 15 feet is required. Within the setback distance, no portion of the building or other structure, including the apex of a roof, may penetrate a plane rising from the maximum street wall height at 20 degrees to the horizontal.

In these special districts, for developments or enlargements which utilize the optional regulations applicable to a predominantly built-up area, the maximum height of a residential building shall not exceed 32 feet above the base plane. Furthermore, for such developments or enlargements with pitched roofs, the midpoint of such pitched roof shall not exceed a height of 32 feet above the base plane. The provisions of this paragraph may be modified pursuant to Section 23-62 (Permitted Obstructions) and paragraph (h) of this Section.

(5) In accordance with Section 78-31 (Location of Buildings, Distribution of Bulk and Open Space and Modification of Height and Setback), development wholly within a large-scale residential development may use the alternate height and setback regulations set forth in Section 78-31(b), (1) through (3).

R3-2 R4 R5

<del>(f)</del>

(h) In R3-2 Districts, R4 Districts other than R4A, R4B and R4-1, and in R5 Districts other than R5B, the City Planning Commission may authorize a building or other structure that penetrates the height and setback regulations set forth in paragraphs (b) and (d) above except for buildings utilizing the optional regulations for predominantly built-up areas. As a condition for granting such authorizations the Commission shall find that:

- (1) by concentrating permitted floor area in a building or buildings of greater height the preservation of an existing building, topography, vegetation, or view corridors having environmental, historic or aesthetic value to the public will be assured, and that such preservation would not be possible by careful siting of lower buildings containing the same permitted floor area; or, for non-profit residences for the elderly, the additional floor area permitted for such developments is accommodated in an efficient manner;
- (2) such modification is the least modification required to achieve the purpose for which it is granted;
- (3) the proposed modification does not impair the essential character of the surrounding area; and
- (4) that the proposed modification will not have adverse effects upon light, air, and privacy of adjacent properties and of any existing *buildings* on the zoning lot.

Applications for authorizations shall be referred to the affected Community Board for a period of at least 30 days for comment. The City Planning Commission shall grant in whole or in part or deny the application within 60 days of the completion of the Community Board review period.

23-661

Required side and rear setbacks for tall residential buildings in low bulk districts  $R1\ R2\ R5$ 

In the districts indicated, no portion of any residential building which is more than 30 feet or more than three stories, whichever is lower, above the level of a side yard or rear yard shall be nearer to a side lot line or rear lot line bounding such yard than a distance equal to one half the height above yard level of such portion of the residential building

In R1 and R2 Districts, any portion of a residential building bounding a side yard or a rear yard which is more than 30 feet above the mean level of adjacent natural grade shall be set back from such side yard line or rear yard line for a distance equal to one-half the height of that portion of the residential building which is higher than 30 feet above the mean level of adjacent natural grade.

In an R5 District, any portion of a residential building bounding a side yard or a rear yard which is more than 33 feet above the level of the base plane shall be set back from such side yard line or such rear yard line for a distance equal to one-half the height of that portion of the residential building which is higher than 33 feet above the level of the base plane.

The following are permitted to project into any open area required under the provisions of this Section:

- (a) Parapet walls not more than four feet high.
- (b) Chimneys or flues with a total width not exceeding 10 percent of the width of the building's walls facing such open area.

23-711

Standard minimum distance between buildings

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In R2X, R3, R4 and R5 Districts, the minimum distance between two such buildings shall be 30 feet.

In all districts, as indicated, In R1, R2, R6, R7, R8, R9 and R10 Districts, except as provided in Section 23-712 (Minimum distance between buildings in high bulk districts), the minimum distance between two such buildings (referred to as building A and building B) shall vary according to the length and height of such buildings. Such minimum distance shall be either 30 feet or the distance required under the following formula, whichever is the greater distance:

23-86

Minimum Distance Between Legally Required Windows and Walls or Lot Lines R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In all districts as indicated, the minimum distance between *legally required* windows and walls or *lot lines* shall be as set forth in this Section, except that this Section shall not apply to *legally required* windows in residential buildings:

- (a) in R2X, R3 or R4 Districts, with a maximum height of 35 feet and with a maximum of three units; and
- (b) in other districts either:
  - (1) with a maximum height of 32 feet and with a maximum of three units; or
  - (2) with three *stories* if the lowest *story* is either a *basement* or is excluded from *floor area* by definition.

23-861

General Provisions

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In all districts, as indicated, except as otherwise provided in Section 23-862 (Minimum distance between legally required windows and lot lines on small corner lots in R9 and R10 Districts) or Section 23-863 (Minimum distance between legally required windows and any wall in an inner court), the minimum distance between a legally required window and:

- (a) Any wall
- (b) A rear lot line, or vertical projection thereof, or
- (c) A side lot line, or vertical projection thereof,

shall be 30 feet, measured in a horizontal plane at the sill level of, and perpendicular to, such window for the full width of the rough window opening; provided, however, that a *legally required window* may open on any *outer court* meeting the requirements of Section 23-84 (Outer Court Regulations)

In R3, R4 and R5 Districts, the minimum dimension between a *legally required window* and a *side lot line* shall be 15 feet. Such 15 foot dimension shall be measured in a horizontal plane perpendicular to the *side lot line* ]or vertical projection thereof. Furthermore, such area with a 15 foot dimension shall be open to the sky from ground level up for the entire length of the *side lot line*. Only chimneys, eaves, gutters, downspouts, open *accessory* offstreet parking spaces, steps, and ramps for access by the handicapped shall be permitted obstructions in such open area and such obstructions may not reduce the minimum width of the open area by more than three feet.

Chapter 4 Bulk Regulations for Community Facility Buildings in Residence Districts

24-00 APPLICABILITY, GENERAL PURPOSES, AND DEFINITIONS

24-01

Applicability of this Chapter

The bulk regulations of this Chapter apply to any community facility building or any building used partly for a community facility use on any zoning lot located in any Residence District in which such building is permitted. As used in this Chapter, the term "any" building shall therefore not include a residential building, the bulk regulations for which are set forth in Article II, Chapter 3. In addition, the bulk regulations of this Chapter or of specified sections thereof also apply in other provisions of this Resolution where they are incorporated by cross reference.

When two or more buildings on a single zoning lot are used in any combination for community facility uses and residential or other permitted uses, the regulations set forth in Sections 24-21 to 24-23, inclusive, relating to Lot Area Requirements for Buildings Used Partly for Residential Uses, shall apply as if such buildings were a single building used partly for community facility use.

However, in R3A, R3X, R3-1, R4A, R4-1, R4B or R5B Districts, except for community facility uses which have received tax exempt status from the New York City Department of Finance or its successor pursuant to Section 420 of the New York State Real Property Tax Law or its successor, the bulk regulations of this Chapter shall apply only to a building which is used entirely for community facility uses and the bulk regulations of Article II, Chapter 3 shall apply to any building which is used partly for community facility use and partly for residential uses except as otherwise permitted in Section 24-04 (Modifications of Bulk Regulations in Certain Districts).

24-04

Modification of Bulk Regulations in Certain Districts

R3A R3X R3-1 R4A R4-1 R4B R5B

In the districts indicated, the City Planning Commission may, upon application, authorize developments pursuant to the bulk regulations of this Chapter provided that the Commission finds that:

- (a) the design of the development ensures adequate separation of uses and sufficient independent access to each use;
- (b) the floor area designated for community facility use is designed in a manner that is consistent with such use and physically distinguishes such space from that designated for residential use.

The Commission may prescribe additional safeguards to prevent the conversion of such community facility use to residential use. Applications for authorizations shall be referred to the affected Community Board for a period of at least 30 days for comment. The City Planning Commission shall grant in whole or in part or deny the application within 60 days of the completion of the Community Board review period.

Article II Chapter 5 Accessory Off-Street Parking and Loading Regulations

25-62

Size and Location of Spaces

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In no event shall the dimensions of any parking stall be less than 18 feet long and eight feet, six inches wide.

However, where accessory off street parking for single or two family residences in detached, semi-detached or zero lot line buildings is subject to the provisions of Section 25-621 (Location of parking spaces in certain districts), the width of a parking stall may be reduced to eight feet.

However, the width of a parking stall may be reduced to eight feet for detached, semi-detached, or zero lot line buildings on a zoning lot where not more than four accessory parking spaces are required if such accessory parking spaces are located in a side lot ribbon and are subject to the provisions of Section 25-621 (Location of parking spaces in certain districts).

25-621

Location of parking spaces in certain districts

### R2X R3 R4 R5

(a) In the districts indicated, except R4B or R5B Districts, on a zoning lot with a residential building where no more than two accessory parking spaces are required, accessory off-street parking spaces shall be permitted only in the side lot ribbon, within a building, or in any open area on the zoning lot which is not between the street line and the street wall of the building or its prolongation. or prolongation thereof of the building. Access to accessory spaces through the front yard shall be only through the side lot ribbon. However, for zoning lots which have a minimum of 35 feet of street frontage along one street, are occupied by a single- or two-family detached residence, and maintain a minimum of 18 feet of uninterrupted curbside space along the street frontage, access to accessory spaces need not be through a side lot ribbon, provided that on a zoning lot with less than 50 feet of frontage along a street, no more than one enclosed accessory parking space is provided within the residential building.

### R2X R3 R4 R5

- (b) In the districts indicated, except R4B or R5B Districts, on a zoning lot with a residential building where more than two accessory parking spaces are required, accessory off-street parking spaces shall be permitted only within a building or in any open area on the zoning lot which is not between the street line and the street wall of the building or its prolongation, unless:
  - (1) no more than two such unenclosed spaces are accessed from a single curb cut, and the parking area for these spaces is not more than 17 20 feet in width measured parallel or within 30 degrees of being parallel to the street line; or
  - (2) a group parking facility with five or more spaces is provided and is screened in accordance with the requirements of Section 25-66 (Screening)(a) or (b).

25-631

Location and width of curb cuts in certain districts

## R2X R3 R4 R5

- (a) In the districts indicated, except as otherwise provided in Section 25-632 (Prohibition of curb cuts in certain districts) residential buildings on zoning lots where not more than two accessory parking spaces are required shall comply with the following paragraphs (1) through (4)(6):
  - (1) only one curb cut on each street frontage, having a maximum width, including splays, of 10 feet for an interior or through lot or 15 feet for a corner lot shall be permitted for each zoning lot;
  - (1) for zoning lots with less than 50 feet of frontage along a street, only one curb cut, having a maximum width, including splays, of 10 feet, shall be permitted;
  - (2) for zoning lots with at least 50 feet of frontage along a street, no more than two curb cuts shall be permitted along such street frontage. If one curb cut is provided, such curb cut shall have a maximum width, including splays, of 15 feet. If two curb cuts are provided, the maximum width of each curb cut, including splays, shall be 10 feet, and a minimum distance of 30 feet of uninterrupted curb space shall be provided between such curb cuts;
- (2)(3)where access to accessory parking spaces is only through a side lot ribbon, all curb cuts shall be a continuation of the side lot ribbon;
- (3)(4)wherever accessory parking spaces are provided in adjacent side lot ribbons on zoning lots subdivided after June 30, 1989, the curb cuts giving access to such side lot ribbons shall be contiguous (paired), so that only one curb cut, having a maximum width of 15 feet including splays, shall serve both side lot ribbons;

(4)(5) except for attached residential buildings and rewhouses in R4B or R5B Districts and multiple dwellings in R5B Districts, new residential developments shall maintain a minimum distance of 16 feet of uninterrupted curb space between all curb cuts constructed after June 30, 1989, provided, that this requirement may be waived if the Commissioner of Buildings certifies that due to the location of curb cuts on adjacent zoning lots, there is no way to locate the curb cut in compliance with this requirement and that at least 16 feet of uninterrupted curb space is maintained along the street in front of the zoning lot;

(5)(6)for attached residential buildings and rewhouses in R4B or R5B Districts and multiple dwellings in R5B Districts, new residential developments shall provide a minimum distance of 34 feet of uninterrupted curb space between all curb cuts constructed after June 30, 1989.

### R2X R3 R4 R5

- (b) In the districts indicated, except as otherwise provided in Section 25-632 (Prohibition of curb cuts in certain districts), residential buildings on zoning lots where more than two accessory parking spaces are required shall comply with the following paragraphs (1) through (4):
  - (1) zoning lots with 40 35 feet or more of frontage along a street shall maintain a minimum distance of 16 feet of uninterrupted curb space along such street;
  - (2) except for attached residential developments and rowhouses in R4B or R5B Districts and multiple dwellings in R5B Districts, new residential developments shall maintain a minimum distance of 16 feet of uninterrupted curb space between all curb cuts on the same or adjoining zoning lots developed after June 30, 1989. For attached residential developments and rowhouses in R4B or R5B Districts and multiple dwellings in R5B Districts, a minimum distance of 34 feet between curb cuts shall be maintained;
  - (3) the maximum width of a curb cut serving a group parking facility shall be as set forth in the following table:

Size of facility	Maximum width of	
<del>(in spaces)</del>	curb cuts including splays	
(in number of spaces provided)	(in feet)	
up to 4	15	
5 to 24	22	
25 and over	30	

However, where Fire Department regulations set forth in the Administrative Code of the City of New York require curb cuts of greater width than listed in the chart above, such curb cuts may be increased to the minimum width acceptable to the Fire Department.

(4) where one or more group parking facilities with five or more spaces are provided, the aggregate width of all curb cuts, including splays, along a street serving such spaces shall not exceed the greater of 20 percent of the street frontage or the maximum width set forth in the table above. Such group parking facilities may be located on the same zoning lot as other accessory off-street parking spaces permitted pursuant to paragraphs (2) and (3) above. In such cases, plans shall be submitted to the Department of Buildings that designate the segments of the zoning lot containing other accessory off-street parking spaces permitted pursuant to paragraphs (2) and (3) above, and segments subject to this paragraph.

# R2X R3 R4 R5

(c) In the districts indicated, the location of curb cuts as required by the provisions of this Section may be modified if the Commissioner of Buildings certifies that the specified curb cut locations would require the removal of shade trees maintained by the City of New York. The Commissioner of Buildings may refer such matter to the Department of Parks and Recreation and the Department of Highways for reports and may base the determination on such report.

25-65 Surfacing

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10

In all districts, as indicated, all open off-street parking spaces shall be surfaced with asphaltic or portland cement concrete, or other hard surfaced dustless material, at least four inches thick except that in R2X, R3, R4 or R5 Districts, hard surface ribbons may be permitted. if the Commissioner of Buildings determines that such ribbon surface is adequate.

# Article III Commercial District Regulations

Chapter 4 Bulk Regulations for Residential Buildings in Commercial Districts

34-23

Modification of Height and Setback Regulations

C1 C2 C3 C4 C5 C6

In the districts indicated, the height and setback regulations set forth in Sections 23-61 to 23-68, inclusive, relating to Height and Setback Regulations, and made applicable to such districts in Section 34-11 (General Provisions), are modified as set forth in this Section.

Except as set forth in Section 34-223(a) (Special provisions applying along district boundaries), no front yard is required for any residential building in a Commercial District. Therefore, in applying the height and setback regulations in a Commercial District, a sky exposure plane (which in a Residence District would be measured from a point above the front yard line) may be measured from a point above the street line. In cases where the provisions of Section 34-223(a) apply, the sky exposure plane is measured from a point above the front yard line.

In C1 or C2 Districts mapped within R3 or R4A Districts, the height and setback regulations applicable to R4 Districts, except R4A and R4B Districts, may be used for *residential buildings*.

In C1 or C2 Districts mapped within R4, R4B, or R4-1 Districts, the height and setback regulations applicable to an R5B District may be used for residential buildings.

# 35-60 MODIFICATION OF HEIGHT AND SETBACK REGULATIONS FOR MIXED BUILDINGS

35-61

Height and Setback Regulations

C1 C2 C3 C4 C5 C6

In the districts indicated, except as otherwise provided in Section 35-51 (Modification of Front Yard Requirements), no front yard is required for any portion of a mixed building in a Commercial District. Therefore, in applying the height and setback regulations, a sky exposure plane (which in a Residence District would be measured from a point above the front yard line), may be measured from a point above the street line.

In cases where the provisions of Section 34-223(a) apply, as set forth in Section 35-51, the sky exposure plane is measured from a point above the front yard line.

In C1 or C2 Districts mapped within R3 or R4A Districts, the height and setback regulations applicable to R4 Districts, except R4A and R4B Districts, may be used for *mixed buildings*. In C1 or C2 Districts mapped within R4, R4B, or R4-1 Districts, the height and setback regulations applicable to an R5B District may be used for *mixed buildings*.

Article V Non-Conforming Uses and Non-Conforming Buildings

52-40 ENLARGEMENTS OR EXTENSIONS

52-41 General Provisions A non-conforming use may be enlarged or extended within the district in which such non-conforming use is located only in accordance with the provisions of this Chapter. However, a non-conforming single- or two-family residence in an R3, R4, or R5 District may be enlarged or extended in accordance with the bulk regulations specified for the district in which it is located. except that. Furthermore, enlargements or extensions designed exclusively to permit conformity with the regulations on performance standards or in order to provide required accessory off-street parking spaces or off-street loading berths on the same zoning lot as the use to which such spaces or berths are accessory are not subject to the restrictions set forth herein.

# 52-50 DAMAGE OR DESTRUCTION

52-51

General Provisions

Except as set forth in Sections 52-81 to 52-83, inclusive, relating to Regulations Applying to Non-Conforming Signs, if a non-conforming building or other structure is damaged, destroyed or demolished, the provisions set forth in Sections 52-52 to 52-55, inclusive, shall apply. However, if a non-conforming single- or two-family residence in an R3, R4, or R5 District is damaged, destroyed or demolished, such building may be continued in use and reconstructed provided that such reconstruction shall not create a new non-compliance nor increase the pre-existing degree of non-compliance with the applicable bulk regulations.

Chapter 4 Non-Complying Buildings

54-313

One Single- or two-family residences with non-complying front yards or side yards

For an existing single- or two-family residence in R4 Districts except R4A, R4-1, and R4B Districts, and R5 Districts except R5B Districts with a non-complying front yard, an enlargement involving a vertical extension of existing building walls facing such non-complying front yard is permitted, provided the following conditions are met:

(a) the portion of the *building* which is being vertically extended complies with the height and setback regulations specified for the district in which it is located; and

(b) the non-complying front yard where the building wall is being vertically extended is at least 10 feet in depth.

For an existing one or two family single- or two-family residence with a non-complying side yard, an enlargement involving a vertical extension of existing building walls facing such non-complying side yard is permitted, provided the following conditions are met:

- (a) The height of the enlarged building does not exceed two stories;
- (a) the portion of the building which is being vertically extended complies with the height and setback regulations applicable to an R3-2 District;
- (b) The the non-complying side yard where the building wall is being vertically extended is at least four three feet in depth width and the minimum distance between such building wall and the nearest building wall or vertical prolongation thereof on an adjoining zoning lot across the common side lot line is eight feet;
- (c) The enlargement does not involve an increase in the number of dwelling units; the enlarged building does not contain more than two dwelling units;
- (d) That that there is no encroachment on the existing non-complying side yard except as set forth in this Section; and
- (e) The the enlargement does not otherwise result in the creation of a new non-compliance or in an increase in the degree of non-compliance.

Article VII Chapter 7 Special Provisions for Zoning Lots Divided by District Boundaries

# 77-10 USE REGULATIONS

#### 77-11

Conditions for Application of Use Regulations to Entire Zoning Lot

Whenever a zoning lot existing at the effective date of this resolution or any applicable subsequent amendment thereto is divided by a boundary between districts in which different uses are permitted, the use regulations applicable to the district in which more than 50 percent of the lot area of the zoning lot is located may apply to the entire zoning lot; provided, that the greatest distance from the mapped district boundary to any lot line of such zoning lot in the district in which less than 50 percent of its area is located does not exceed 25 feet. Such distance shall be measured perpendicular to the mapped district boundary.

Whenever the use regulations are so applied, the district boundary may be assumed to be relocated accordingly, and the bulk, off-street parking and loading, and all other regulations applying to such expanded district shall apply to the entire zoning lot. However, when the zoning lot is divided by a district boundary between a district limited to single or two-family residences and a district permitting multiple dwellings, the use and bulk regulations of an R3-2 District shall apply in the R1, R2, R3A, R3X or R3-1 portion, and the use and bulk regulations of an R4 District shall apply in the R2X, R4A, R4-1 or R4B portion.

Except as specifically provided by the provisions of a special purpose district, the provisions of this Section shall apply to *zoning lots* which are divided by a special purpose district boundary line.

77-20 BULK REGULATIONS

77-211

Conditions for application of bulk regulations to entire zoning lot

Whenever a zoning lot existing at the effective date of this resolution or any applicable subsequent amendment thereto is divided by a boundary between:

- (a) two Residence Districts limited to single- or single- and two-family residences;
- (b) two Commercial Districts or two Manufacturing Districts in which the same uses are permitted, but different bulk regulations apply,

the bulk regulations applicable to the district in which more than 50 percent of the lot area of the zoning lot is located may apply to the entire zoning lot; provided, that the greatest distance from the mapped district boundary to any lot line of such zoning lot in the district in which less than 50 percent of its area is located does not exceed 25 feet. Such distance shall be measured perpendicular to the mapped district boundary.

Whenever the *bulk* regulations are so applied, the district boundary may be assumed to be relocated accordingly, and the off-street parking and loading and all other regulations applying to such expanded district shall apply to the entire *zoning lot*.

Except as specifically provided by the provisions of a special purpose district, the provisions of this Section shall apply to *zoning lots* which are divided by a special purpose district boundary line.

77-22

Floor Area Ratio

The maximum floor area ratio permitted on each portion of such zoning lot for the applicable type of building or buildings on such zoning lot shall be determined under the applicable regulations of the Chapters indicated below. Each such floor area ratio shall be multiplied by the percentage of the zoning lot to which such floor area ratio applies. The sum of the products thus obtained shall be the adjusted maximum floor area ratio applicable to such zoning lot.

In applying this provision, the *floor area* bonus permitted for *plazas, plaza*-connected open areas, or *arcades* under the applicable regulations of this resolution shall apply to only such *plazas, plaza*-connected open areas, or *arcades*, or portions thereof, as are located in a district in which such bonus is granted.

77-221

Quality Housing buildings and residential buildings in certain R3, R4 or R5 Districts

For residential developments or enlargements in R3-2 Districts, R4 Districts, except R4A, R4-1 and R4B Districts, R5 Districts, and equivalent Commercial Districts, and for developments or enlargements where permitted, pursuant to the Quality Housing Program in R6, R7 and R8 Districts and equivalent Commercial Districts outside the Manhattan Core, the residential floor area ratio of that portion of the zoning lot fronting on and within 100 feet of a wide street and permitting the greater maximum permitted residential floor area ratio may exceed the maximum permitted residential floor area ratio for the portion of the zoning lot by up to 20 percent provided that the maximum residential floor area ratio does not exceed the adjusted maximum residential floor area ratio applicable to such zoning lot.

77-222

# Other Buildings Buildings other than Quality Housing buildings

The floor area resulting from application of the adjusted maximum floor area ratio may be located anywhere on the zoning lot, subject to all other regulations of this Resolution, and provided that the floor area ratio for any portion of the zoning lot within one district shall not exceed the maximum floor area ratio, by height factor, if applicable, specified for that district, or the adjusted maximum floor area ratio for the zoning lot, whichever is greater.

However, for portions of zoning lots within an R2X, R3-1, R3A, R3X, R4-1, R4A, or R4B District not subject to the provisions of Section 77-11, the floor area ratio for such portion of the zoning lot shall not exceed the maximum floor area ratio specified for that district.

# Lot Area or Floor Area Requirements

In all residential districts, if the In all Residence Districts, the lot area per dwelling unit or per room, floor area per room, or lot area for commercial or community facility uses required for the building or buildings on the zoning lot shall be computed separately for that portion of the zoning lot located in each district under the applicable regulations of the Chapters indicated below. The total lot area of the zoning lot shall not be less than the sum of such required lot areas so computed.

The total number of dwelling units or rooms permitted on the zoning lot shall not exceed the sum of the dwelling units or rooms permitted on each portion of the zoning lot in accordance with the applicable district regulations for such portion. Such dwelling units or rooms may be located wherever a building is permitted on a zoning lot, provided that on no portion of the zoning lot shall there be more than 150 percent of the number of dwelling units or rooms permitted in the applicable district regulations for such portion. However, for portions of zoning lots within an R2X, R3-1, R3A, R3X, R4-1, R4A, or R4B District not subject to the provisions of Section 77-11, the number of dwelling units in such portion shall not exceed the maximum density permitted by the applicable district regulations.

77-28 Height and Setback Regulations

In R2X, R3, R4 or R5 Districts, for residential buildings, each portion of the zoning lot shall be governed by the height and setback regulations specified for the district in which it is located as set forth in Article II, Chapter 3.

For the purposes of defining a building envelope pursuant to Section 23-631(b), (Height and setback in R2X, R3, R4, R4A, and R4-1Districts), apex points may be located on a zoning district boundary which divides a building.

Furthermore, if any portion of a zoning lot is located in an R2X, R3, R4, R4A, or R4-1 District, the height and setback regulations specified for such district may apply to the entire zoning lot provided that such district comprises more than 50 percent of such zoning lot, and the greatest distance from the mapped district boundary to any lot line of such zoning lot in the district in which less than 50 percent of its area is located does not exceed 25 feet. Such distance shall be measured perpendicular to the mapped district boundary.

# Article VII Chapter 8 Special Provisions Applying to Large Scale Residential Developments

78-045

Previously granted authorizations and special permits

Large-scale residential developments granted an authorization by the City Planning Commission or special permit by the Board of Estimate **pursuant to the provisions of this Chapter** prior to June 30, 1989 may be started or continued pursuant to said special permit or authorization subject to the zoning regulations in effect prior to June 7, 1989, and the provisions of Section 78-07 (Lapse of Authorization or Special Permit).

Modifications to such *large-scale residential developments* which exceed the limitations imposed by the previously granted authorization or special permit shall be subject to the *bulk* and *use* regulations of the underlying zoning regulations.

78-31

Location of Buildings, Distribution of Bulk and Open Space, and Modification of Height and Setbacks

(a) General provisions

For the purposes of this Section the term "periphery" shall mean any street line bounding a large-scale residential development or any lot line abutting a zoning lot that is

not part of the large-scale residential development. The term "wholly within" shall therefore mean any area of the large-scale residential development which is not within the area designated as "periphery". However, in R3-2 Districts, R4 Districts except R4A, R4-1 and R4B Districts, or R5 Districts except R5B Districts, the "periphery" shall also include all portions of a large-scale residential development within 100 feet of a peripheral street line or within 30 feet of any other peripheral lot line except for portions directly opposite:

- (1) a tract of land of at least 1.5 acres in a Residence District that is either vacant or land with minor improvements; or
- (2) a large-scale residential development developed pursuant to the provisions of paragraph (b) below; or
- (3) a Commercial or a Manufacturing District.

All development in the periphery of a large-scale residential development shall comply with the height and setback regulations of Article II, Chapter 3 except as otherwise provided in this Section.

Special provisions applying to large-scale residential developments in R3, R4 or R5 Districts are set forth in paragraphs (b) and (c) below. The provisions of paragraph (b) shall apply to any large-scale residential development in R3-2 Districts, R4 Districts except R4A, R4-1 and R4B Districts, or R5 Districts except R5B Districts. The provisions of paragraph (c) shall apply only to large-scale residential developments in all R3, R4 or R5 Districts that utilize the bonus provisions of Section 78-32 through 78-35.

- (b) Alternate height and setback regulations for certain districts
  - In R3-2 Districts, R4 Districts except R4A, R4-1 and R4B Districts, or R5 Districts except R5B Districts, development wholly within a large-scale residential development may use the alternate height and setback regulations set forth in paragraphs(1) and (2) through (3) below.
  - (1) In R3-2 Districts the height and setback regulations applicable to R4 Districts except R4A and R4B Districts may be used;
  - (2) In R4 or R5 Districts, where front yards are required along streets wholly within the development, if a front yard with a depth of 10 feet is provided the height and setback regulations in Section 23-631 shall apply. If a front yard with a depth of 18 feet is provided, the front wall or any other portion of a building or other structure shall not penetrate the sky exposure plane set forth in the table below.

# MAXIMUM HEIGHT OF FRONT WALL AND REQUIRED FRONT SETBACKS

Sky exposure plane

Slope over zoning lot (expressed as a ratio of vertical distance

to horizontal distance)

Height above front yard line (in feet)	Vertical distance		Horizontal distance	<del>District</del>	
25	1	ŧo	1	R4	
<del>35</del>	1	to	1	<del>R5</del>	

Where front yards are not required the height and setback regulations of Section 23-631 are not required.

However, in R4 or R5 Districts no portion of any building including the apex of a roof shall penetrate a plane 35 feet in height above the base plane in R4 Districts or 40 feet in height above the base plane in R5 Districts except as otherwise provided in this Section.

- (2) In R4 Districts, no portion of any building including the apex of a roof shall penetrate a plane 35 feet in height above the base plane.
- (3) In R5 Districts, no portion of any *building* including the apex of a pitched roof shall penetrate a plane 40 feet in height above the *base plane*.
- (c) Alternate floor area, open space and density regulations in R3, R4 or R5 Districts

In large-scale residential developments that utilize the bonus provisions of this Chapter, the floor area ratio, the open space ratio and the density controls set forth below shall apply in lieu of the floor area ratio, lot coverage and lot area per dwelling unit controls of Article II, Chapter 3.

 Open Space Ratio	Floor Area Ratio	Density Controls (in square feet)	District	
 150	.50*	375 square feet of lot area per room	R3	
80	.75*	205 square feet of floor area per room	R4	
40	1.25	215 square feet of floor area per room	R5	

<sup>\*</sup>The floor area ratio in the table above may be increased by up to 20 percent provided that any such increase in floor area is located under a sloping roof which rises at least 3 1/2 inches in vertical distance per each foot of horizontal distance and the structural headroom of such floor area is between five and eight feet. Any such additional floor area under a sloped roof shall not be used to compute the open space ratio.

(d) Authorizations may be granted for buildings to be located, bulk and open space distributed, and height and setback modified in accordance with the provisions of this Section.

78-311 Authorizations by the Planning Commission

In the case of a large scale residential development, for that portion of the development which is located in an R5-or R6 District, the Commission may authorize the permitted floor area ratio, required open space ratio, and the required lot area per room to be determined on the basis of a height factor which is different than the actual height factor of such portion of the development, for the purposes of achieving better site planning and community planning.

In R3, R4 or R5 Districts, the City Planning Commission may, upon application, authorize modifications of the height and setback regulations set forth in Section 23-631 and paragraph (b) of Section 78-31 for buildings wholly within the development for the purposes of introducing variety or preserving natural features or view corridors.

For any large scale residential development, the City Planning Commission may, upon application, authorize in R3, R4, and R5 Districts modifications of the height and setback regulations set forth in Section 23-631 and paragraph (b) of Section 78-31 for buildings wholly within the development for the purposes of introducing variety or preserving natural features or view corridors.

Article XI Special Purpose Districts (Continued)

Chapter 4 Special Sheepshead Bay District

94-10

Special Requirements for Building Height and Setbacks

The height and setback regulations set forth in Section 23-631 (Height and Setback in R1, R2, R3, R4 and R5 Districts), Section 34-23 (Modification of Height and Setback Regulations), and Section 35-61 (Height and Setback Regulations), shall not apply to buildings in the Special Sheepshead Bay District. In lieu thereof, height and setback regulations set forth in this Section shall apply. For buildings in Residence Districts, building height is measured from the base plane. For buildings in Commercial Districts building height is measured from curb level.

In Areas G and H, a building shall not exceed 3 stories or 35 feet, whichever is less.

Article X
Special Purpose Districts
(Continued)

Chapter 7 Special South Richmond Development District

107-322 Tree Requirements All developments within the Special District shall provide new trees in accordance with the table set forth in Appendix B. Any existing tree of 6 inch caliper which is preserved shall be credited as an additional tree. For any existing tree of at least 6 inch caliper which is preserved, credit for one tree shall be given for the first 6 inches of caliper, and for each additional 4 inches of caliper, credit for an additional tree shall be given.

# 107-40 SPECIAL USE, BULK AND PARKING REGULATIONS

107-41

Type of Residence

Semi-detached or attached single-family residences in R2 Districts and attached single or two-family residences in R3-1 Districts may be permitted by special permit of the City Planning Commission in accordance with the provisions of Section 107-74. Such residences shall comply with the minimum lot area and lot width requirements as set forth in Table A.

Zero lot line buildings are not permitted in the Special South Richmond District.

		TABLE "A"		
		Minimum	Minimum	
	Type of	Lot Area	Lot Width	Height (in
District	Residence	(in sq. ft.)	(in feet)	stories)
R1-1	detached	9,500	100	1-4
R1-2	detached	5,700	40	1-2
			50	3
			60	4
R-2	detached	3,800	40	1-4
R3-1	detached	3,800	40	1-2
	detached	3,800	45	3-4
R3-1,R3-2	semi-detached	2,375	24	1-2
	semi-detached	3,800	40	1-2
R3-2	detached	3,800	40	1-2
	detached	4,275	45	3-4
R3-2	attached	1,700	18	1-2
	attached	2,280	24	3-4
R3A, <b>R3X</b>	detached	3,325	35	1-3
R4A	detached	3,325	35	1-3
R4-1	detached	3,325	35	1-3
	semi-detached	2,375	24	1-3

107-46 Yard and Court Regulations

107-462 Side yards

In all districts, except R1 Districts, for all single- or two-family detached and semidetached residences, the side yards shall relate to the height of the building as set forth in the following table:

# Required Side Yard

		Required			
Number Required	Type of Residence	Required Total Width	Minimum Width of any Side Yard	Height in Stories	
2	Detached	15	5	1-2	
2	Detached	20	5	3-4	
1	Semi-Detached	9	9	1-2	
1	Semi-Detached	15	15	3-4	

In R3A, R3X, R4A or R4-1 Districts for any detached residence the required total width of side yards shall be 15 feet and the required minimum width of any side yard shall be five feet; in R4-1 Districts for any semi-detached residence the required minimum width of a side yard shall be nine feet.

107-483 Planting and Screening for Open Parking Areas

Trees provided pursuant to the provisions of this paragraph may be counted for purposes of meeting the requirements of paragraph (a) in 107-322 (Tree requirements).

For developments in Residence Districts, trees provided in accordance with the provisions of this Section may be counted for the purposes of meeting the requirements of Section 107-322, paragraph (a). Furthermore, for developments in Commercial or Manufacturing Districts which provide trees in accordance with the provisions of this Section, the requirements of Section 107-322, paragraph (a) shall not apply.

# ARTICLE XI Special Purpose Districts (Continued)

Chapter 2 Special City Island District

# 112-10 SPECIAL HEIGHT REGULATIONS

In order to preserve the unique character of the Special District and to protect the views of and to the water no new development or enlargement within Areas A or B shall exceed a height of three stories or 35 feet, whichever is less. new developments or enlargements within Areas A or B shall be subject to both the height and setback regulations of Section 23-631 and a maximum height of 35 feet. However, the City Planning Commission, by special permit after public notice and hearing and subject to Board of Estimate action, may permit within Area A modifications of the height restrictions set forth in this Section, or in Section 23-631 (Height and setback in R1, R2, R3, R4, or R5 Districts); and in Area B the Commission may authorize modifications of the regulations set forth in Section 23-631 subject to a maximum building height of 35 feet or three stories whichever is less. As a condition for such modification the Commission shall find that:

- (a) the distribution of the *bulk* of *development* or *enlargement* permits adequate access of light and air to the surrounding *streets* and properties and does not impair the views of and to the water;
- (b) the modification of the building height permits better site planning and distribution of open space; and
- (c) the height of the new development or enlargement does not exceed 5 stories or 50 feet, whichever is less.

The Commission may prescribe appropriate conditions and safeguards to protect the views of and to the water and to minimize adverse effects on the surrounding area. That portion of any *development* or *enlargement* used for boat sales, manufacture, storage or repair shall be exempt from the provisions of this Section.

Chapter 3 Special Ocean Parkway District

113-12 Special Front Yard Regulations For all developments with frontage along Ocean Parkway there shall be a 30 foot front yard. No obstructions including porches either open or enclosed, canopies or stairs are permitted within the front yard. Any driveway within such front yard shall be perpendicular to the street line or in the case where the building line street wall is not parallel with the street line the driveway shall be perpendicular to the building line street wall.

Balconies pursuant to Section 23-13 may, by a depth of not more than six feet, penetrate front yards except along Ocean Parkway.

Chapter 9 Special Hillsides Preservation District

119-02

General Provisions

When computing floor area within the Special Hillsides Preservation District, floor area shall include floor space within a floor to ceiling volume that has at least one-half the area of its exterior walls above adjoining grade level.

# 119-20 PROVISIONS REGULATING TIER II DEVELOPMENTS, ENLARGEMENTS AND SITE ALTERATIONS

119 212

Height limit controls

For any development or enlargement the maximum height of a building or other structure or prtion thereof shall be that which is shown in Table II.

For the purposes of this Chapter, the height of a building is to be measured at all points adjacent to the building from the adjoining ground up (i.e, footprint of the building) and at no point shall it exceed the maximum height permitted in table II.

Any development, enlargement or site alteration which receives an authorization pursuant to Section 119-312 (Authorization of certain uses within the Special Hillsides Preservation District) and is located in a Commercial District shall be exempt from the provisions of this Section. Any development which utilizes the regulations applying to a predominantly built up area of Section 23-141 shall be subject to the height limitations of Section 23-601.

# TABLE II MAXIMUM HEIGHT OF A RUILDING OR OTHER STRUCTURE

Residence	<b>Maximum</b>	
<del>District*</del>	Height	
R1, R2, R3, R4**	<del>36 feet</del>	
<del>R5**</del>	<del>60 feet</del>	
<del>R6</del>	<del>70 feet</del>	

\* or Residence District equivalent when zoning lot is located within a Commercial District

119-212

Height and setback regulations

The height and setback regulations set forth in Section 23-631 (Height and Setback in R1, R2, R3, R4, and R5 Districts), Section 23-632 (Front setbacks in districts where front yards are not required), Section 34-23 (Modification of Height and Setback Regulations), and Section 35-61 (Height and Setback Regulations) shall not apply to buildings or other structures in Tier II developments or enlargements within the Special Hillsides Preservation District. In lieu thereof, the height and setback regulations set forth in this Section shall apply.

For any development or enlargement, no portion of a building or other structure shall penetrate a plane drawn parallel to the base plane at a height which is shown in Table II. For developments or enlargements with pitched roofs, height shall be measured to the midpoint of such pitched roof. For the purposes of this Section, the base plane, which is a plane from which the height of a building or other structure is measured in R2X, R3, R4, and R5 Districts, shall also be established in accordance with the provisions of Section 23-61 for buildings or other structures in R1, R2, and R6 Districts.

## TABLE II

# MAXIMUM HEIGHT OF A BUILDING OR OTHER STRUCTURE

Residence	Maximum height above <i>base plane</i>	
District*		
R1, R2, R3, R4**	36 feet	
R5**	60 feet	
Re	70 feet	

<sup>\*</sup>or Residence District equivalent when zoning lot is located within a Commercial District

\*\*developments or enlargements which utilize the regulations of Section 23-141 applying to a predominantly built-up area shall not exceed a maximum height of 32 feet above the base plane.

119-315

Modification of height limit controls

Modification of height and setback regulations

For any development or enlargement on a zoning lot having an average percent of slope of 10 percent or greater, the City Planning Commission may authorize variations in the height limit controls height and setback regulations set forth in Section 119-212 (Height limit controls) (Height and setback regulations).

(On August 22, 1990 Cal. No. 19, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 39 the hearing was continued. On September 26, 1990, Cal. No. 30 the hearing was continued.)

Close the hearing.

### III. REPORTS

# **BOROUGH OF MANHATTAN**

No. 17

**CD 10** 

C 900273 PPM

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city-owned property located at 81 W. 115th Street, Block No. 1599, Lot No. 6.

(On September 12, 1990 Cal. No. 13, the Commission scheduled September 26, 1990 for a public hearing. On September 26, 1990, Cal. No. 10 the hearing was closed.)

For consideration.

No. 18

CD 2

C 900524 PPM

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city owned property located at 423-437 Lafayette Street, Block No. 544, Lot No. 16.

(On August 22, 1990 Cal. No. 6, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 22 the hearing was closed.)

For consideration.

No. 19

CD 8

N 910064 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990 (List No. 226) for the proposed landmarking of the Solomon R. Guggenheim Museum located at 1071 Fifth Avenue.

For consideration.

No. 20

CD 8 N 910065 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of portions of the Solomon R. Guggenheim Museum Interior located at 1071 Fifth Avenue.

For consideration.

No. 21

CD 7 N 910067 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of the 854 West End Avenue House located at 854 West End Avenue.

For consideration.

No. 22

CD 7 N 910068 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of the 856 West End Avenue House located at 856 West End Avenue.

For consideration.

No. 23

CD 7 N 910069 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of portions of the 858 West End Avenue House located at 858 West End Avenue.

For consideration.

No. 24

CD 7 N 910070 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of the 254 West 102nd Street House located at 254 West 102nd Street.

For consideration.

No. 25

CD 7 N 910071 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of the Claremont Stables, located at 173-177 West 89th Street in Manhattan.

For consideration.

No. 26

CD 5 N 910072 HKM

IN THE MATTER OF a communication, dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 226) for the proposed landmarking of the 574 Sixth Avenue Building, located at 574 Sixth Avenue.

For consideration.

### **CITYWIDE**

No. 27

(Amendments to the Zoning Resolution, continuing the Relocation Incentive Program (BRAC) with minor modifications, in Brooklyn Community Districts 1, 2 and 6, Manhattan Community Districts 1, 2, 3, 4, 5 and 6, and Queens Community Districts 1 and 2, to January 1, 1998.)

N 910007 ZRY

IN THE MATTER OF an application submitted by the Department of City Planning pursuant to Section 200 of the New York City Charter, for amendment of the Zoning Resolution of the City of New York, relating to Sections 15-50 to 15-58, as follows:

Matter in **bold** is new, to be added
Matter in **strikeout** is old, to be deleted
Matter in *italics* is defined in Section 12-10

15-00 RELOCATION INCENTIVE PROGRAM

15-51

Preamble

In order to reduce the deleterious effects on commercial and manufacturing uses caused by the reduction of existing floor area available to such uses as the result of the conversion of non-residential buildings to dwelling units or joint living-work quarters for artists, while permitting owners to convert such buildings to dwelling units or joint living-work quarters for artists, thereby increasing the value of such buildings, a Relocation Incentive Program is established. These general goals include, among others, the following specific objectives:

- (a) To provide incentives for eligible commercial and manufacturing uses displaced by the conversion of commercial or manufacturing buildings, or portions thereof, to dwelling units, to relocate within the City of New York.
- (b) To provide certainty to eligible commercial and industrial tenants as to the extent and availability of relocation incentives.
- (c) To ensure that such incentives are available to the eligible commercial or manufacturing uses at the time they relocate.
- (d) To assist in the retention of industrial firms and industrial relocation within the City of New York in accordance with the intent of this Chapter.

Under the Relocation Incentive Program, owners who plan to convert space used for commercial and manufacturing uses to dwelling units or joint living-work quarters for artists under the provisions of this Chapter or Sections 42-14(D), 74-711, 74-78 and 111-00 of this Resolution will be required to pay a conversion contribution or provide direct relocation payments before they can obtain an Alteration Permit. The conversion contribution will be paid into the Industrial Relocation Fund to be administered by the New York City Business Relocation Assistance Corporation. These funds will be used to provide industrial relocation assistance in accordance with the intent of this Chapter.

Building owners may receive a discount from the conversion contribution if they provide direct assistance to manufacturing tenants which relocate in New York City. The Board of Standards and Appeals shall administratively review applications, authorize discounts or exclusions, and certify that the appropriate relocation assistance has been provided.

Prior to the issuance of an Alteration Permit for the development of dwelling units or joint living-work quarters for artists, an owner must present proof of either payment of the conversion contribution or Board of Standards and Appeals approval of direct relocation payments.

15-52

Definitions

For the purposes of Sections 15-50 through 15-58 matter in italics is defined in this Section or in Section 12-10 (DEFINITIONS).

# Applicable Building

An "applicable building" is any existing *building* or other structure, erected prior to December 15, 1961, which:

(Aa)If in Manhattan Community Districts 1, 2, 3, 4, 5, and 6

- (1) (a) is located in a zoning district in which residential or joint living-work quarters for artists use is permitted; and
  - (i) on September 1, 1980 was used for a use listed in Section 15-58; or

- (ii) was vacant on September 1, 1980 and was used within 3 years prior to such date for a use in such Use Groups; or
- (2) (a) is granted a *use* variance pursuant to the provisions of Sections 72-21 and 72-221; and
  - (i) on April 9, 1981 was used for a use listed in Section 15-58; or
  - (ii) was vacant on April 9 1981, and was used within three years prior to such date for a *use* in such Use Groups; or
- (Bb) If in Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2
  - (1) (a) is located in a zoning district in which residential use is permitted; and
    - (i) on April 1, 1984 was used for a use listed in Section 15-58; or
    - (ii) was vacant on April 1, 1984 and was used within 3 years prior to such date for a *use* in such Use Groups; or
  - (2) (a) is granted a use variance pursuant to the provisions of Sections 72-21 and 72-221; and
    - (i) on October 25, 1984 was used for a use listed in Section 15-58; or
    - (ii) was vacant on October 25, 1984, and was used within 3 years prior to such date for a *use* in such Use Groups.

However, any *floor area* consisting of Interim Multiple Dwellings shall be exempt from the Relocation Incentive Program. A *building* consisting entirely of Interim Multiple Dwellings shall not be an *applicable building*.

#### Conversion Contribution

A "conversion contribution" is the contribution to the Industrial Relocation Fund provided by the owner of an *applicable building*. Such contribution shall be provided by the owner in order to convert such *building* to *dwelling units* or *joint living-work quarters for artists* without meeting the requirements for the *development* of *dwelling units* in Article II (Residence District Regulations).

## The Corporation

The "Corporation" is the New York City Business Relocation Assistance Corporation, a not-for-profit Corporation. The Board of Directors of the Corporation shall consist of the Commissioner or Executive Director of the Office of Economic Development, the Chairman of the City Planning Commission, the Chairman of the Board of Standards and Appeals, the Commissioner of the Department of Housing Preservation and Development, the President of the New York City Public Development Corporation and two industrial representatives.

# Eligible Tenant

An "eligible tenant" is a commercial or manufacturing tenant, or commercial or manufacturing owner occupant, determined by the *Corporation* to be engaged in a business listed in Section 15-58 and who:

- (i) occupied and used space within an applicable building for not less than 24 months immediately prior to vacating,
- (ii) vacated the premises on or after April 9, 1981 in Manhattan Community Districts 1, 2, 3, 4, 5 and 6 or on or after October 25, 1984 in Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2, and
- (iii) either purchased, or leased for a term of not less than 24 months, other premises within the City of New York for the purpose of engaging in a business listed in Section 15-58.

A sub-tenant shall be eligible to receive a relocation incentive in accordance with the provisions of Section 15-50 et seq. notwithstanding any lack of eligibility of its prime tenant.

### The Fund

The "Fund" is the Industrial Relocation Fund. The Fund is established within the Corporation. The Corporation shall accept the conversion contribution to be accredited to the Fund and apply such monies toward the relocation of industrial tenants, including any verification action required under the provisions of Section 15-50 et seq. (Relocation Incentive Program), or toward the administration of the Fund, and for such other purposes relating to industrial relocation as the Corporation may determine.

The Industrial Relocation Fund will be administered by the Corporation.

### 15-521

Rules and regulations for the Fund

The *Corporation* shall promulgate rules and regulations for the distribution of monies from the *Fund*. The *Corporation* shall provide a copy of all proposed rules and regulations and any proposed amendments thereto to:

- (a) Manhattan Community Boards 1 through 6, Brooklyn Community Boards 1, 2 and 6, and Queens Community Boards 1 and 2;
- (b) the City Planning Commission;
- (c) the Office of Economic Development;
- (d) the Board of Standards and Appeals;
- (e) Members of the Board of Estimate the Speaker of the City Council and the Council's Land Use and Economic Development Committee Chairpersons; and
- (f) the Industrial Loft Advisory Council.

In addition, the *Corporation* shall publish notice of the existence of proposed rules and regulations and any proposed amendments thereto for five business days in a newspaper of general circulation in the City of New York, and shall make all such proposed rules, regulations and amendments available to the public. Comments on such proposed rules, regulations and amendments shall be accepted for 30 days thereafter. The rules and regulations, or amendments thereto, as adopted, shall be provided to all persons listed in subdivisions (a) through (f) above, and shall be made available to the general public.

#### 15-522

#### Administration of the Fund

The Corporation shall issue a report at the close of each fiscal year detailing the outreach that was made to industrial firms in affected areas to explain the Relocation Incentive Program and the entitlements that are available to eligible commercial and manufacturing firms under the program. The yearly report shall also include the amounts of, and plans to utilize in the upcoming year, any unobligated monies in the Industrial Relocation Fund. The yearly report shall be provided to all persons listed in subdivisions (a) through (f) in Section 15-521 above.

The Corporation shall administer the Fund in a manner designed to ensure that monies are spent in a timely manner, and that surpluses in excess of short-term liabilities and prudent reserves are minimized.

15-53

Conversion Contribution

15-531

Rate of contribution

The conversion contribution shall be paid into the Fund. If tendered prior to September 1, 1982 1990, such contribution shall be at the rate of \$9.00 \$11.80 per square foot of the gross floor area to be used for dwelling units or joint living-work quarters for artists and stairwells, elevator shafts, halls and other common floor areas of the building used in conjunction with such dwelling units or Joint livingwork quarters for artists, excluding ground floor lobbies, less any discount authorized under the provisions of Section 15-54 (Direct Help) or Section 15-55 (Additional Discounts or Exclusions from Conversion Contributions).

However, in Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2, in *Residential Districts* or in *Commercial Districts* permitting residential use, if tendered prior to September 1, 1984 1990, the conversion contribution shall be at the rate of \$5.30 \$5.90 per square foot.

On September 1, 1982, and on each subsequent September 1, the Corporation shall establish the monetary rate at which the conversion contribution is to be paid during that year. Said rate change shall be based on the Gross National Product Implicit Price Deflators for the Trucking and Warehousing Industry, prepared by the U.S. Department of Commerce.

#### 15-532

### Contribution procedure

- (a) Prior to the issuance of an Alteration Permit, the owner shall pay the conversion contribution in an amount equal to the rate applicable at the date of payment multiplied by the gross floor area as provided in Section 15-531. The amount of such contribution may be reduced by authorization of the Board of Standards and Appeals pursuant to Section 15-54 (Direct Help) or Section 15-55 (Additional Discounts or Exclusions from Conversion Contributions). Nothing in this Section shall be construed to require such owner to pay the conversion contribution in accordance with the provisions of this Section more than once on any particular floor area. Upon proof of payment of the conversion contribution by the owner, or upon receipt of an authorization exclusion, pursuant to Section 15-551 (Existing conversion) or Section 15-554 (Exclusion for certain vacated space), the Board shall notify the Department of Buildings that the requirements of Section 15-50 et seq. have been met.
- (b) The conversion contribution shall be paid into the Fund primarily for the benefit of the commercial or manufacturing tenant who last occupied the floor area to be converted and subsequently relocated within the City of New York. Within six twelve months of the payment of the conversion contribution, and upon verification by the Corporation that said tenant is an eligible tenant, the Corporation shall pay to said tenant the appropriate portion of the conversion contribution. The appropriate portion of the conversion contribution shall be equal to the amount produced by multiplying the rate of conversion contribution applicable at the time of payment of the conversion contribution by either the floor area occupied by such tenant prior to relocation or the floor area occupied by such tenant after relocation, whichever is less; however, if the Corporation finds that after relocation the eligible tenant is maintaining substantially the same employment and business operations in a smaller space, it may award such eligible tenant the full amount based upon the floor area occupied by such tenant prior to relocation.

An *eligible tenant* may petition the *Corporation* for additional funds, to be paid out of the *Fund*, for reasonable moving or relocation expenses in excess of the amount to which such *eligible tenant* is entitled. The *Corporation* may consider such petitions at its discretion.

The Corporation shall determine whether a commercial or manufacturing tenant is an eligible tenant within 15 days after a request by said tenant, and, in appropriate cases, verify the eligibility of said tenant. Where a commercial or manufacturing tenant is not an eligible tenant, the Fund shall retain the conversion contribution. Where an an eligible tenant does not seek verification of eligibility within six twelve months of the payment of the conversion, such tenant shall be ineligible to receive any payment or assistance from the Corporation.

Notwithstanding the above, where the eligible tenant has received assistance from the Corporation, the amount of such assistance will be subtracted from the amount to which said tenant is eligible under this Section, and the remainder shall be retained by the Corporation.

#### 15-54

# Direct Help

The Board of Standards and Appeals shall issue an authorization for a discount from all or part of the amount of the conversion contribution when it determines that the owner of an applicable building has made a direct help payment in accordance with Section 15-541 through Section 15-546. The amount of the discount shall be twice the direct help payment provided to the recipients as required in Section 15-541.

The owner of an applicable building shall include a copy of each escrow agreement signed pursuant to Section 15-542 with the application to the Board for the authorization for a direct help discount. The owner of an applicable building applying for a direct help discount shall, on the date of such application, provide the Office for Economic Development with a copy of said application. Within 30 days of the receipt of any such application, the Office for Economic Development may provide the Board of Standards and Appeals with a report on the history of commercial and manufacturing tenancy of such building.

#### 15-541

# Amount of direct help payment

(a) The direct help payment shall be equal to 50 percent of the *conversion contribution*. To entitle the owner of an *applicable building* to be eligible for the discount authorized under the provisions of Section 15-54, such owner shall make direct help payments in accordance with the following:

		% of Conversion
Condition of the Space	Recipient of the	Contribution Each
To Be Converted	Direct Help Payment	Recipient Recieves
Vacant more than 24		
consecutive months	The Corp_	50%
Occupied by an eligible tenant		_
listed in Section 15-581	The Tenant	50%
Occupied by an eligible tenant	The Tenant	25%
listed in Section 15-582	The Corp	25%
Occupied by a commercial or manufacturing tenant for more than 24 months but such tenant did not relocate within New York City	The Corp	50%
	The Corp	30%
Occupied by commercial or manufacturing use not listed in Section 15-58 for more		
than 24 months	The Corp	<del>50%</del>
In Manhattan Community Districts 1,2,3,4,5 & 6:	ml . C	rom
vacant since Sept.1, 1980	The Corp	<del>50%</del>
In Manhattan Community Districts 1,2,3,4,5 & 6 in R6, R7, R8, R9, R10, C1, C2, or C4:		
vacant since January 1,1981	The Corp	50%
In Brooklyn Community Districts 1,2 & 6 and Queens Community Districts 1 & 2		
Community Districts 1 & 2: vacant since April 1, 1984	The Corp	50%

(b)

Direct Help Payments When Tenant Relocates to a Smaller Space

In no event shall An eligible tenant shall receive a direct help payment of more than 50 percent of the amount produced by multiplying the currently applicable rate of conversion contribution by the floor area occupied by such tenant after relocation. If, as a result of such tenant relocating to a smaller space, the amount of direct help payment provided by an owner to an eligible tenant is less than the amount of the direct help payment the owner is required to provide pursuant to the provisions of Section 15-541(a), the remainder shall be paid to the Corporation. The Corporation shall determine if there has been relocation to a smaller space.

Notwithstanding the above paragraph, if the Corporation determines that the eligible tenant, after relocation, is maintaining substantially the same employment and business operations in a smaller space, the Corporation may award such eligible tenant the full amount of the direct help payment to which it would be entitled had it relocated to a space with the same amount of floor area from which it relocated. The owner shall be entitled to a discount for all such direct help payments.

15-542

Establishment of escrow accounts

To receive a discount under the provisions of Section 15-54 (Direct Help), the owner of an *applicable building* shall establish an escrow account in accordance with the provisions established in this Section.

(a) Such owner shall deposit a sum of money equal to the amount of the direct help payment required under Section 15-541 in an escrow account in a banking institution located in the City of New York. The escrow agent shall be such bank or the owner's attorney. The escrow account shall be established pursuant to an agreement signed by the owner and the escrow agent, which agreement shall be on a form provided by the Corporation. Where the commercial or manufacturing tenant is listed in Section 15-581, said escrow agreement shall contain the specific provisions in subsection (i) below; where the commercial or manufacturing tenant is listed in Section 15-582, said escrow agreement shall contain the specific provisions listed in subsection (ii) below:

(i) The escrow property delivered hereunder shall be held in escrow by (the escrow agent) to be delivered to (the tenant) at such time as the New York City Business Relocation Assistance Corporation, hereinafter called the Corporation, has verified that (the tenant) is an eligible tenant under the terms of Section 15-50 et seq. of the Zoning Resolution of the City of New York. This escrow property shall be paid in full to (the tenant) within 15 days of such verification, unless the Corporation has made a determination that (the tenant) has relocated to a smaller space in accordance with the provisions of Section 15-541(b) of the Zoning Resolution. Where the Corporation has determined that (the tenant) has relocated to a smaller space, (the tenant) shall receive payment from the escrow account in an amount equal to that required by Section 15-541(b) of the Zoning Resolution within 15 days of such verification. The remainder of the escrow property shall be paid to the Corporation at the same time. In the event that the Corporation issues a statement of non-eligibility under Section 15-544(c) of the Zoning Resolution, this escrow property will be paid to the Corporation within 15 days of the issuance of such statement. In the event that these conditions are not met within six twelve months from the earlier to occur of the date (the tenant) vacates space in (address of the building) or the date of the establishment of this escrow account, (the escrow agent) shall pay the escrow property delivered hereunder to the Corporation at the expiration of said 6 12-month period.

Notwithstanding the foregoing, where the *Corporation* notifies (the escrow agent) that (the owner) and (the tenant) have entered into a new lease of the premises at (address of the building) for a term of more than three months, the escrow property delivered hereunder shall be returned to (the owner/escrowor) within 15 days of such notification.

(ii) The escrow property delivered hereunder shall be held in escrow by (the escrow agent) until such time as the New York City Business Relocation Assistance Corporation, hereinafter called the Corporation, has verified that (the tenant) is an eligible tenant under the terms of Section 15-50 et seq. of the Zoning Resolution of the City of New York. Within 15 days of such verification, (the escrow agent) shall pay 50 percent of the escrow property here under to (the tenant) and 50 percent of the escrow property to the Corporation, unless the Corporation has made a determination of relocation to a smaller space in accordance with the provisions of Section 15-541(b) of the Zoning Resolution. Where the Corporation has determined that (the tenant) has relocated to a smaller space, (the tenant) shall receive payment from the escrow account in an amount equal to that required by Section 15-541(b) of the Zoning Resolution, on within 15 days of such verification. The remainder of the escrow property shall be paid to the Corporation at the same time. In the event that the Corporation issues a statement of non-eligibility under Section 15-544(c) of the Zoning Resolution, this escrow property will be paid to the Corporation within 15 days of the issuance of such statement.

In the event that the above conditions are not met within six twelve months from the earlier to occur of the date (the tenant) vacates space in (address of the building) or the date of the establishment of this escrow account, (the escrow agent) shall pay the escrow property delivered hereunder to the *Corporation* at the expiration of said 6 12 -month period.

Notwithstanding the foregoing, where the *Corporation* notifies (the escrow agent) that (the owner) and (the tenant) have entered into a new lease of the premises at (address of the building) for a term of more than three months, the escrow property delivered hereunder shall be returned to the (owner, escrow) within 15 days of such notification.

- (b) All interest which accrues on the escrow account shall be paid to the owner who establishes such escrow account. Any expenses incurred in establishing such account shall be paid by said owner. A copy of all escrow agreements shall be delivered by said owner to the *Corporation*.
- (c) For the purposes of this Section only, an owner shall be deemed to include an agent of the owner or a contract vendee.

#### 15-543

Time for establishment of escrow accounts

For the purpose of this Section only, an *eligible tenant* shall not be required to have purchased or leased other premises within the City of New York.

Escrow accounts shall be established on the dates provided in this Section. However, the escrow account shall not be established more than two months prior to the expiration of the tenant's lease, except by mutual consent of the owner and tenant.

### (a) Lease Termination

In the event that an *eligible tenant* has a lease with a term of at least one year, and the owner of an *applicable building* notifies said *eligible tenant* that his tenancy will be terminated on the date said tenants lease expires, or, if there has been no such notification by the owner and said tenant's lease has not been renewed, such owner shall establish the escrow account at least 30 days prior to the date of termination of tenancy.

### (b) Holdover or Short-Term Lease

In the event that an *eligible tenant* has a lease of less than one year, or is a holdover tenant with no lease for the space in the *applicable building*, the owner of the *building* shall establish the escrow account not later than 90 days after said tenant notifies the owner of the date said tenant intends to vacate the premises, or 30 days prior to said tenant's date of termination of tenancy, whichever occurs later.

An owner of an *applicable building* shall notify the *eligible tenant* and the *Corporation* in writing of the establishment of the escrow account within 5 days of the establishment of such account. Such notice shall include a copy of the escrow agreement.

#### 15-544

Payment of funds from escrow account

- (a) An eligible tenant shall receive its share of the direct help payment from the funds held in the escrow account pursuant to the provisions of Section 15-541 within 15 days of the date the Corporation verifies that such tenant is an eligible tenant.
- (b) If the eligible tenant fails to seek verification from the Corporation within 6 12 months after the earlier of the date such tenant vacates space in the applicable building or the date of the establishment of the escrow account, the escrow property shall be paid to the Fund. Such tenant shall then be ineligible to receive any relocation assistance either in the form of a direct help payment or assistance from the Corporation. Notwithstanding the above, where there is a dispute as to payment of the escrow account to be resolved under the provisions of Section 15-545, and the expiration of the above 6 12-month period has resulted in payment to the Fund, such tenant shall remain eligible to receive relocation payment from the Corporation in an amount equal to the direct help payment for which such tenant was eligible under Section 15-541.

(c) In the event that a commercial or manufacturing tenant does not relocate in New York City, or for any reason is not an eligible tenant, the Corporation shall issue a statement of non-eligibility. Within 15 days, of the issuance of said statement, the Fund shall receive payment from the escrow account. The acceptance of the direct help payment by the Corporation shall not imply the authorization of the direct help payment credit by the Board of Standards and Appeals. Should such authorization be denied, any funds paid to the Corporation under this provision shall be considered part of the conversion contribution.

#### 15-545

Disputed payments from escrow account

Any dispute in the computation of the amount of the direct help payment to each recipient in accordance with the provisions of Section 15-541 through 15-543, or as to the eligibility of a commercial or manufacturing tenant for relocation assistance, shall be resolved by the Board of Directors of the *Corporation* within six months.

#### 15-546

Direct payment to the Corporation

An owner shall make the direct help payment to the *Corporation*, and shall not be required to establish an escrow account, in the following situations:

- (a) where the floor area to be converted has been vacant since September 1, 1980;
- where the floor area is located in R6, R7, R8, R9, R10, C1, C2 or C4 District, and such floor area has been vacant since January 1, 1981;
- (ea) where the *floor area* to be converted has been vacant for more than 24 months prior to the filing for the authorization for the direct help payment discount under Section 15-541; or
- (db) where the owner applies to the Board of Standards and Appeals for an authorization for a discount for certain vacated space under Section 15-553.; or
- (e) where the *floor area* was occupied by a use not listed in Section-15-58.
- in Brooklyn Community Districts 1, 2, and 6 and Queens Community Districts
  1 and 2 where the floor area to be converted has been vacant since April 1, 1984.

The acceptance of the direct help payment by the Corporation shall not imply the authorization of the direct help payment credit by the Board of Standards and Appeals. Should such authorization be denied, any funds paid to the Corporation under this provision shall be considered part of the conversion contribution.

15-55

Additional Discount or Exclusions from Conversion Contributions

A copy of any application under this Section shall be sent by the applicant to the Office of Economic Development at the time of filing. The Office of Economic Development may provide additional information to the Board.

Authorizations issued under this Section shall not expire during the existence of the Relocation Incentive Program.

15-551

**Existing conversion** 

If the Board of Standards and Appeals determines that floor area was used as dwelling units or joint living-work quarters for artists other than Interim Multiple Dwellings exempt from the Relocation Incentive Program pursuant to Section 15-52:

- (a) In Manhattan Community Districts 1, 2, 3, 4, 5 and 6, on September 1, 1980, the Board shall authorize that such *floor area* not be included in computing the *conversion contribution*, provided that a complete application for an authorization under this provision was filed with the Board of Standards and Appeals prior to September 1, 1983.
- (b) In Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2, on April 1, 1984, the Board shall authorize that such floor area not be included in computing the conversion contribution, provided that a complete application for an authorization under this provision was filed with the Board of Standards and Appeals prior to September 1, 1985.

15-552

Non-Industrial related uses

The Board of Standards and Appeals shall issue an authorization that floor area used for a use not listed in Section 15-58 shall not be included in the computation of the conversion contribution provided that:

- (a) If the Board of Standards and Appeals determines that uses not listed in Section 15-58 occupied at least 50 percent of the floor area of the building on September 1, 1980, in Manhattan Community Districts 1, 2, 3, 4, 5 and 6, or on April 1, 1984 in Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2, and
- (b) such floor area was not vacant on September 1, 1980, in Manhattan Community Districts 1, 2, 3, 4, 5 and 6, or on April 1, 1984 in Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2.

the Board shall authorize that such *floor area* not be included in computing the *conversion contribution*.

For the purposes of this Section, common areas of the building shall not be included in the computation of the floor area occupied by such uses. The burden of proof is on the applicant to show that the requirements of this Section have been met.

15-553

Discount for certain vacated space

The Board of Standards and Appeals may authorize a discount from the conversion contribution in an amount equal to 50 percent of the conversion contribution where there is substantial evidence to support a finding that a commercial or manufacturing tenant engaged in a business listed in Section 15-58 and occupying floor area within an applicable building for at least 24 months immediately prior to an application under this Section had

- (a) vacated floor area in an applicable building more than 6 months prior to the expiration of said tenants lease, and there is no evidence of harassment by the landlord or the landlords agent; or
- (b) vacated floor area in an applicable building not earlier than 6 months prior to the expiration of said tenants lease, and the owner can demonstrate that said tenant was offered a lease renewal or extension at fair market rental not less than 6 months prior to the expiration of said lease. Such renewal or extension shall have been for a period of at least 3 years unless the landlord notified said tenant in writing that:
  - (i) such lease renewal or extension was an interim measure until the conversion of such *floor area*; and
  - (ii) at the termination of such interim renewal or extension said tenant would receive a direct help payment in accordance with the provisions of Section 15-54.

Where the Board issues an authorization under this Section, the direct help payment shall be made to the *Corporation*.

15-554

Exclusion for certain vacant space

Upon proof that floor area has been vacant since September 1, 1979 in Manhattan Community Districts 1, 2, 3, 4, 5 and 6; since April 1, 1984 in Brooklyn Community Districts 1, 2 and 6 and Queens Community Districts 1 and 2 or for a minimum of 5 years immediately preceding the date of application for an exclusion under this Section, the Board of Standards and Appeals shall issue an authorization that no conversion contribution shall be required to be made for such floor area.

#### 15-555

Discount for building permit issued before April 9, 1981

- (a) The Board of Standards and Appeals may authorize a discount from the conversion contribution in an amount equal to 50 percent of the conversion contribution, where the Board determines that there was substantial construction in accordance with the provisions of Section 15-013.
- (b) The Board of Standards and Appeals may authorize a reduction in the amount of the conversion contribution under paragraph (a) of this Section by an amount equal to any relocation payments provided by the developer, property owner, or contract vendee provided that the Board finds that:
  - (i) such tenant occupied the *floor area* being converted on September 1, 1980, and for not less than 24 months immediately prior to vacating;
  - (ii) such tenant relocated to other premises within the City of New York which such tenant either purchased, or leased for a term of not less than 24 months; and
  - (iii) such amount was paid to such tenant within 30 days after said relocation.

#### 15-56

Verification of Relocation Requirements

Within 15 days after a request by a tenant, but in no event prior to the date of relocation, the *Corporation* shall determine whether a commercial or manufacturing tenant is an *eligible tenant* and, in appropriate cases, verify that relocation has occurred. The *Corporation* shall also determine whether there has been relocation to a smaller space under the provisions of Section 15-541(b). Notwithstanding the above, a commercial or manufacturing tenant may notify the *Corporation*, prior to relocation, of the date of relocation and the *Corporation*, may agree with such tenant to determine whether such tenant is an *eligible tenant* on a specific date subsequent to the relocation.

15-57

**Special Provisions** 

15-571

Non-Separability

The provisions of Sections 15-50 through 15-58 (Relocation Incentive Program) shall be deemed to be an integral part of Article I, Chapter 5. If any sentence, clause, paragraph or part of Sections 15-50 through 15-58 shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not be confined in its operation to the sentence, clause, paragraph or part thereof directly involved in the controversy in which such judgment shall have been rendered, but shall be construed to invalidate and impair the remainder of Article I, Chapter 5, in addition thereto. However, any such judgment shall not act to invalidate any other sentence, paragraph, clause, section or chapter of the Zoning Resolution.

15-572

Termination

The provisions of Sections 15-50 through 15-58 shall cease to have all force and effect on January 1, 1991 1998, unless re-adopted by the City Planning Commission on or before such date. No later than September 1, 1996, the *Corporation* shall issue a report detailing the effectiveness of the Relocation Incentive Program in meeting the objectives stated in Section 15-51 during the period commencing July 1, 1990 and ending June 30, 1996.

15-573

**Applicability** 

Where an *applicable building* is being converted, the provisions of Sections 15-50 through 15-58 (Relocation Incentive Program) shall apply in lieu of the relocation benefits authorized under subdivision 10 of Section 489 of the New York Real Property Tax Law.

15-58

Eligible Commercial and Manufacturing Uses

15-581

Group A

The following uses are included in Section 15-581. Accessory uses shall be considered part of such use. Uses which are encompassed within categories under more than one Use Group are included in Section 15-581 as long as one such category is included below:

# In Use Group 9A:

Blueprinting or photostating establishments

Medical or dental laboratories

Printing establishments

Studios, art, music, dancing or theatrical

# In Use Group 10A

Photographic or motion picture production studios, radio or television studios.

# In Use Group 11A:

All uses

# In Use Group 16A:

Blacksmith shops

Carpentry, custom woodworking or furniture making shops

Household or office equipment or machinery repair shops

Machinery rental or sales establishments

Mirror silvering or glass cutting shops

Silverplating shops

Soldering or welding shops

Tool, die or pattern-making establishments or similar small machines

# In Use Group 16D:

Carpet cleaning establishments

Dry cleaning or cleaning and dyeing establishments

Laundries

Photographic developing or printing establishments

#### In Use Group 17A:

Produce or meat markets, wholesale

## In Use Group 17B:

All uses

In Use Group 18A, only for the purposes of the Relocation Incentive Program:

All uses.

15-582

# Group B

The following uses are included in Section 15-582. Accessory uses shall be considered part of such uses. Uses which are encompassed within categories under more than one Use Group are included in Section 15-582 as long as one such category is included below:

# In Use Group 7B:

Exterminators

Gun repair

Sailmaking establishments

Taxidermists shops

Trade embalmers

Window cleaning contracting establishments

# In Use Group 8B:

Upholstering shops

# In Use Group 9A:

Musical instrument repair shops

Plumbing, heating or ventilating equipment showrooms

Typewriter or other small business machine sales, rental, or repairs Umbrella repair shops

### In Use Group 9B:

Hair products for head wear wholesaling

### In Use Group 10A:

Depositories for storage of office records, etc.

### In Use Group 10B:

All uses

### In Use Group 11B:

All uses

#### In Use Group 16A:

Electrical, glazing, heating, painting, paperhanging, plumbing, roofing, or ventilating contractors establishments

Poultry or rabbit killing establishments

Sign painting shops

### In Use Group 16D:

Linen, towel, or diaper supply establishments

Moving or storage offices

Packing or crating establishments

Warehouses

Wholesale establishments

### In Use Group 17A:

Building material and contractors yards

#### In Use Group 17C:

Trucking terminals or motor freight stations

In Use Group 18B, only for the purposes of the Relocation Incentive Program: All uses.

(On September 12, 1990 Cal. No. 14, the Commission scheduled September 26, 1990 for a public hearing. On September 26, 1990, Cal. No. 29 the hearing was closed.)

For consideration.

#### BOROUGH OF THE BRONX

No. 28

CD 9 C 900109 ZMX

IN THE MATTER OF an application submitted by James De Maria et al pursuant to Sections 197-c and 200 of the New York City Charter for an amendment of the Zoning Map, Section No. 4b, changing from an R3-2 district to an M1-1 district property bounded by Bruckner Boulevard (northbound service road of the Bruckner Expressway), a line 150 feet westerly of Zerega Avenue, a line midway between Bruckner Boulevard (northbound service road of the Bruckner Expressway) and Quimby Avenue, and a line 440 feet westerly of Zerega Avenue, as shown on a diagram dated May 21, 1990.

(On August 22, 1990 Cal. No. 9, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 24 the hearing was closed.)

For consideration.

No. 29

CD 6 C 900465 PPX

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of thirty-five (35) city-owned properties.

A list and description of the properties can be seen at the City Planning Commission, 22 Reade Street, Room 2E, New York, New York.

(On August 22, 1990 Cal. No. 10, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 25 the hearing was closed.)

#### No. 30

CD<sub>6</sub>

C 900601 PLX

IN THE MATTER OF an application submitted by the Human Resources Administration pursuant to Section 197-c of the New York City Charter for the renewal of a lease of property located at 2340 Cambreleng Avenue (Block 3089, Lot 24), for continued use as a day care center.

(On August 22, 1990 Cal. No. 11, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 26 the hearing was closed.)

For consideration.

# Nos. 31, 32, 33 and 34

(Concerning the acquisition of two sites, designation as an urban renewal area, disposition of property and the grant of a special permit to allow parking, for the development of a New York City Housing Authority Police Service Facility #7).

#### No. 31

CD 1

N 900529 HGX

IN THE MATTER OF a designation, pursuant to Section 504, Article 15 of the General Municipal Law (Urban Renewal Law) of the State of New York, of the areas on part of the block bounded by East 156th Street, Melrose Avenue, East 155th Street and Courtlandt Avenue (Site 1 block 2402, Lots 9, 11, 12 and 31 through 36; and Site 2; block 2402, Lots 17 through 22 and 25, 26, 27 and 40), as an area appropriate for Urban Renewal (East 155th Street Urban Renewal Area).

(On August 22, 1990 Cal. No. 12, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 27 the hearing was closed.)

#### No. 32

CD 1 C 900530 HUX

IN THE MATTER OF the East 155th Street Urban Renewal Plan for the East 155th Street Urban Renewal Area, comprising the areas on part of the block bounded by East 156th Street, Melrose Avenue, East 155th Street and Courtlandt Avenue (Site 1 block 2402, Lots 9, 11, 12 and 31 through 36; and Site 2; Block 2402, Lots 17 through 22 and 25, 26, 27 and 40), pursuant to Section 303 of Article 15 of the General municipal Law (Urban Renewal Law) of New York State and Section 197-c of the New York City Charter.

The proposed East 155th Street Urban Renewal Plan provides for: 1) the acquisition of the two sites, as herein before described; and 2) the designation of the two sites for the development of a New York City Housing Authority Police Service Facility #7.

(On August 22, 1990 Cal. No. 13, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 28 the hearing was closed.)

For consideration.

## No. 33

CD 1 C 900531 HDX

IN THE MATTER OF the disposition of city-owned property, within the East 155th Street Urban Renewal Area, pursuant to section 197-c of the New York City Charter.

The property to be disposed to the New York City Housing Authority for the development of a NYCHA Police Service Facility, comprises the following:

The areas on part of the block bounded by East 156th Street, Melrose Avenue, East 155th Street and Courtlandt Avenue (Site 1-block 2402, Lots 9, 11, 12 and 31 through 36 and Site 2-block 2402, Lots 17 through 22 and 25, 26, 27 and 40).

(On August 22, 1990 Cal. No. 14, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 29 the hearing was closed.)

No. 34

CD 1 C 900599 ZSX

IN THE MATTER OF an application submitted by the New York City Housing Authority pursuant to Section 197-c and 200 of the New York Charter for the grant of a special permit pursuant to Section 74-67 of the Zoning Resolution, to allow parking in an R6 district as accessory to a proposed Housing Authority police service area facility in a C1-4 district, in the block bounded by East 156th Street, Melrose Avenue, East 155th Street, and Courtlandt Avenue, (Block 2402, Lots 9, 11, 12, 17-22, 25-27, 31-36, and 40).

Plans for this proposed police service area facility are on file with the City Planning Commission and may be seen in Room 3N, 22 Reade Street, New York, NY 10007.

(On August 22, 1990 Cal. No. 15, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 30 the hearing was closed.)

For consideration.

# Nos. 35, 36 and 37

(Applications for 7th Amendment to the Twin Parks East Urban Renewal Plan, and dispositions of city owned property to facilitate the construction of a 96-dwelling unit new project for the elderly and handicapped and a shopping center.)

No. 35

CD 11 C 900626 HUX

IN THE MATTER OF the 7th Amendment to The Twin Parks East Urban Renewal Plan for the Twin Parks East Urban Renewal Area, generally bounded by East Fordham Road, Southern Boulevard, Marmion Avenue, East Tremont Avenue, Clinton Avenue, East 180th Street and Crotona Avenue, pursuant to Section 505, Article 15 of the General Municipal Law (Urban Renewal Law) of New York State and Section 197-c of the New York City Charter.

The proposed amendment to the Twin Parks East Urban Renewal Plan provides for the following:

- Change in the designated land use on the northern portion of Site 3A (to be called Site 3A-1) from Low Income-NYCHA to Low Income-Section 202.
- 2. Subdivision of Site 3A into Sites 3A-1 and 3A-2 to permit the separate disposition of Site 3A-1.

3. Change in the designated land use on Site 16B from Moderate Income Housing to Commercial.

(On August 22, 1990 Cal. No. 16, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 31 the hearing was closed.)

For consideration.

No. 36

CD 6 C 900627 HDX

IN THE MATTER OF the disposition of city-owned property, within the Twin Parks East Urban Renewal Area, pursuant to Section 197-c of the New York City Charter.

The property to be disposed to the developer selected by the Department of Housing Preservation and Development, Belmont Boulevard HDFC, comprises the following:

Property on the northerly part of the block bounded by East 185th Street, Southern Boulevard, East 183rd Street and Prospect Avenue (block 3114, part of Lot 8, Site 3A-1.

This vacant land, approximately 40,914 square feet in area, is the site for a 96 dwelling unit new construction project for the elderly. Approximately 10% of the units are designed for the handicapped and mobility impaired.

Permanent financing will be provided by a direct federal loan under Section 202 of the National Housing Act of 1959, as amended, with a rent subsidy for 100% of the units provided under the Section 8 program.

(On August 22, 1990 Cal. No. 17, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 32 the hearing was closed.)

For consideration.

No. 37

CD 6 C 900689 HDX

IN THE MATTER OF the disposition of city-owned property, within the Twin Parks East Urban Renewal Area, pursuant to Section 197-c of the New York City Charter.

The property to be disposed to the developers selected by the Department of Housing Preservation and Development, the Northwest Bronx Community and Clergy Coalition and PROCIDA organization, comprises the following:

Property on the southerly part of the block bounded by East 181st Street, Clinton Avénue, East 180th Street and Crotona Avenue (block 3096, Lots 35, 37, 40 and 44. All lots except Lot 44 are part of Site 16B within the Urban Renewal Area.

This vacant land, approximately 27,000 square feet in area, is the site for a proposed one-story, 14,000 square foot shopping center containing approximately eight stores.

(On August 22, 1990 Cal. No. 18, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 33 the hearing was closed.)

For consideration.

# BOROUGH OF QUEENS

No. 38

CD 3

C 900633 PPQ

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city-owned property located on the west side of 84th Street, 13 feet north of 31st Avenue, Block No. 1381, Lot 37.

(On August 22, 1990 Cal. No. 3, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 36 the hearing was closed.)

For consideration.

No. 39

**CD 13** 

C 900546 PLQ

IN THE MATTER OF an application submitted by the Human Resources Administration pursuant to Section 197-c of the New York City Charter for the renewal of a lease of property located at 109-45 207th Street (Block 10917, Lot 29), for continued use as a day care center.

(On August 22, 1990 Cal. No. 1, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 34 the hearing was closed.)

For consideration.

# No. 40

CD3

C 900644 PSQ

IN THE MATTER OF an application submitted by the Human Resources Administration pursuant to Section 197-c of the New York City Charter for the renewal of a lease or site selection and acquisition of property located at 34-10 108th Street (Block 1749, Lot 7), for continued use as a day care center.

(On August 22, 1990 Cal. No. 2, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 35 the hearing was closed.)

For consideration.

## No. 41

CD 1

C 900632 PPQ

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of four (4) city-owned properties.

A list and description of the properties can be seen at the City Planning Commission, 22 Reade Street, Room 2E, New York, New York.

(On September 12, 1990 Cal. No. 20, the Commission scheduled September 26, 1990 for a public hearing. On September 26, 1990, Cal. No. 16 the hearing was closed.)

For consideration.

## BOROUGH OF BROOKLYN

No. 42

CD 2

C 900558 PLK

IN THE MATTER OF an application submitted by the Human Resources Administration pursuant to Section 197-c of the New York City Charter for a lease renewal of property located at 81-87 Irving Place (Block 1993, Lot 15), for continued use as a day care center.

(On August 22, 1990 Cal. No. 8, the Commission scheduled September 12, 1990 for a public hearing. On September 12, 1990, Cal. No. 21 the hearing was closed.)

For consideration.

No. 43

**CD 7** 

C 900433 PPK

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city-owned property located at 160 56th Street. Block No. 836. Lot No. 19.

(On September 12, 1990 Cal. No. 8, the Commission scheduled September 26, 1990 for a public hearing. On September 12, 1990, Cal. No. 21 the hearing was closed.)

For consideration.

No. 44

CD 1

C 900469 DMK

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of one (1) city-owned property located at 332 Maujer Street, Block No. 3021, Lot No. 30.

(On September 12, 1990 Cal. No. 10, the Commission scheduled September 26, 1990 for a public hearing. On September 26, 1990, Cal. No. 26 the hearing was closed.)

For consideration.

No. 45

CD3

C 900470 PPK

IN THE MATTER OF an application by the Division of Real Property, pursuant to Section 197-c of the New York City Charter, for the disposition of twenty-nine (29) city-owned properties.

A list and description of the properties can be seen at the City Planning Commission, 22 Reade Street, Room 2E, New York, New York.

(On September 12, 1990 Cal. No. 11, the Commission scheduled September 26, 1990 for a public hearing. On September 26, 1990, Cal. No. 27 the hearing was closed.)

For consideration.

No. 46

CD 2 C 900315 PCK

IN THE MATTER OF an application submitted by the New York City Fire Department (NYFD) pursuant to Section 197-c of the New York City Charter for site selection and acquisition of property located at Building 292 and Pier G in the Brooklyn Navy Yard (Block 2023, part of lot 1), for the relocation of Marine Units, which includes the Marine Division Headquarters, Marine Company No. 1 and Marine Repair Shop.

(On September 12, 1990 Cal. No. 12, the Commission scheduled September 26, 1990 for a public hearing. On September 26, 1990, Cal. No. 28 the haring was closed.)

For consideration.

#### BOROUGH OF STATEN ISLAND

No. 47

CD 2 N 910066 HKR

IN THE MATTER OF a communication dated August 23, 1990 from the Executive Director of the Landmarks Preservation Commission, regarding the following landmarks designated by the Landmarks Preservation Commission on August 14, 1990. (List No. 225) for the proposed landmarking of the Crimson Beech (Cass House) located at 48 Manor Court.